

# marginalia — Non-floating marginal content with automatic placement for Lua $\text{\LaTeX}$ <sup>1</sup>

<sup>1</sup> This document describes v0.83.17, last revised 2025-12-06.

<sup>2</sup> a.j.cain (AT) gmail.com

Alan J. Cain<sup>2</sup>

Released 2025-12-06

## Abstract

This Lua $\text{\LaTeX}$  package allows the placement of marginal content anywhere, without `\marginpar`'s limits, and automatically adjusts positions to prevent overlaps or content being pushed off the page, and offers key-value settings that allow fine-grained customization.

## Demonstration

The `marginalia` package permits intelligent placement of marginal content, such as notes. This page demonstrates some of its capabilities.


(Like this one.)

By default, this marginal note would have its top line aligned with the last line of the adjacent paragraph, but it has been automatically moved upwards to avoid clashing with the figure caption below, which has been set with an option that fixes its position.

Key-value options allow global or local settings of the style, width, placement, and spacing of marginal content. In particular, styles and widths can be specified globally depending on the margin in which the content is placed; the correct style or width will be selected for each item. For example, in this demonstration, 15 mm-wide ragged-right sans-serif has been specified globally as the default for items in the right margin and 35 mm-wide justified sans-serif for items in the left margin. Note that the vertical position of items is adjusted automatically to avoid overlaps, but there is an option to specify that items have fixed positions.

Notes can be placed on both sides of the paragraph.

**Figure 0** `marginalia` can place content alongside floats, so it can be used to place float captions in the margin. (Here, the text style has been locally switched to Roman.)



This is a top-aligned margin item pointing to the relevant line of text.

Unlike the usual `\marginpar` command, `marginalia` allows marginal content to be placed next to floats, footnotes, or the page head or footer. 'Marks' can also be added pointing to the relevant line of text and there are various vertical alignment options.

This is a middle-aligned margin item pointing to the relevant line of text.

This marginal note, the width and style of which have locally been set to 25 mm and ragged left, would by default have its top line aligned with the last line of the adjacent paragraph, but it has been moved upwards to maintain a distance of 10 mm from the bottom of the page.

The automatic adjustment of the vertical positions of items will not result in items being closer than specified distances from the top or bottom of the page (unless there is actually insufficient space to place the items).

# Contents

<b>Demonstration</b>	<b>1</b>
<b>1 Introduction</b>	<b>3</b>
<b>2 Requirements</b>	<b>4</b>
<b>3 Installation</b>	<b>4</b>
<b>4 Getting started</b>	<b>5</b>
<b>5 User commands</b>	<b>6</b>
5.1 Access to page and column . . . . .	6
<b>6 Options</b>	<b>7</b>
6.1 Type . . . . .	7
6.2 Horizontal placement . . . . .	8
6.3 Vertical placement . . . . .	9
6.4 Appearance . . . . .	11
<b>7 Placement</b>	<b>14</b>
7.1 Horizontal placement . . . . .	14
7.2 Vertical placement . . . . .	16
<b>8 Usage notes</b>	<b>17</b>
<b>9 Incompatibilities</b>	<b>18</b>
<b>10 Limitations</b>	<b>18</b>
<b>11 Implementation (L<sup>A</sup>T<sub>E</sub>X package)</b>	<b>19</b>
11.1 Initial set-up . . . . .	19
11.2 Tagging set-up . . . . .	19
11.3 Auxiliary macro for dimension setting . . . . .	19
11.4 Auxiliary macros for setting options . . . . .	20
11.5 Options . . . . .	20
11.5.1 Type . . . . .	21
11.5.2 Horizontal placement . . . . .	21
11.5.3 Vertical placement . . . . .	22
11.5.4 Appearance . . . . .	24
11.6 Lua backend and interface . . . . .	26
11.7 Processing data from the .aux file . . . . .	27
11.8 Writing page data to the .aux file . . . . .	29
11.9 Marginal content item processing . . . . .	30
11.9.1 Variables . . . . .	30
Variables set by L <sup>A</sup> T <sub>E</sub> X. . . . .	30
Variables set by Lua. . . . .	31
11.9.2 Core macro . . . . .	32
11.9.3 Horizontal separation, width, style, mark selection . . . . .	34
11.9.4 Auxiliary box macros . . . . .	36

11.9.5	Placement macros	37
11.10	User commands	37
<b>12</b>	<b>Implementation (Lua backend)</b>	<b>38</b>
12.1	Global variables	38
12.2	Constants	38
12.3	Keys for tables	39
12.3.1	Keys for both page and item data tables	39
12.3.2	Keys for page data tables, layout etc.	39
12.3.3	Keys for item data tables	39
12.4	Utility functions	41
12.5	Generic page/item data functions	41
12.6	Processing of page data from <code>.aux</code> file	43
12.7	Processing of item data from <code>.aux</code> file	45
12.8	Writing reports	46
12.9	Computing horizontal positions	47
12.10	Computing vertical positions	52
12.10.1	Computing <code>optfixed</code> enabled	52
12.10.2	Computing vertical adjustment	53
12.10.3	Checking vertical adjustment	54
12.10.4	Core vertical position computation	56
12.11	Passing <code>item_data</code> back to $\LaTeX$	59
12.12	Export public functions	59

## Index 61

### 1 Introduction

The  $\LaTeX$  `\marginpar` command is the basic method for placing content in the margin. For purposes such as drawing attention to particular points in the text, it functions well. Its main limitation is that `\marginpar` works via the  $\LaTeX$  float mechanism and so cannot be used to create marginal content next to a figure, table, or other float, or next to a footnote, or to place running heads in the margin, such as are found in the left-hand margin of this document except for the ‘implementation’ section. (Bringhurst called this style ‘running shoulderheads’ [Bri04, p. 65], but the term may be non-standard.)

Trying to set many separate pieces of marginal content using `\marginpar` can lead to other problems. If two `marginpars` would clash,  $\LaTeX$  shifts the second item downward. But the cumulative effect can lead to `marginpars` being shifted downward off the bottom of the page. Further, the asynchronous nature of  $\TeX$ ’s page-breaking can cause: (1) a `marginpar` to be placed in the wrong margin; (2) the topmost `marginpar` on a page to be unnecessarily shifted downward because of a hypothetical clash that would have occurred with the previous `marginpar`, had they been on the same page.

Packages like `mparhack`<sup>3</sup> (Tom Sgouros & Stefan Ulrich), `marginnote`<sup>4</sup> (Markus Kohm), `marginfix`<sup>5</sup> (Stephen Hicks) and `marginfit`<sup>6</sup> (Maurice Leclaire) were created to avoid these limitations and problems. `mparhack` only ensures that each `marginpar` appears on the correct side of the page. `marginnote` allows marginal content to be placed anywhere, but does not adjust positions to avoid clashes. `marginfix` adjusts positions, but the unadjusted vertical positioning can be slightly off, and the package still uses floats.

<sup>3</sup> URL: <https://ctan.org/pkg/mparhack>

<sup>4</sup> URL: <https://ctan.org/pkg/marginnote>

<sup>5</sup> URL: <https://ctan.org/pkg/marginfix>

<sup>6</sup> URL: <https://ctan.org/pkg/marginfit>

## Installation

`marginfit` gets positions exactly right, but uses the insert mechanism and so marginal content cannot appear next to floats or footnotes.

This Lua $\LaTeX$  package, `marginalia`, provides a `\marginalia` command that attempts to avoid these limitations. Marginal content is placed, not via floats or inserts, but by a calculated per-item horizontal shift inside an (invisible) `\rlap` or `\llap` from the position where the `\marginalia` command was issued (which is similar to the technique used by `marginnote`), plus a calculated per-item vertical shift to avoid clashes with other content. The vertical shift is usually downward, but may be upward when necessary to prevent content from being shifted off the bottom of the page (which is similar to the vertical shifts performed by `marginfix` and `marginfit`).

The calculation of the horizontal and vertical shifts uses information written to the `.aux` file during the previous Lua $\LaTeX$  run. It thus takes at least two runs for all content to appear in the correct places. The package reports any changes from the previous run and any problems encountered.

*Note:* `marginalia` was written to typeset running heads in the margin, sidenote references, side-captions for floats, and small marginal figures in the author's book *Form & Number: A History of Mathematical Beauty* [Cai24].<sup>7</sup> Thus the basic functionality has been tested extensively, and it has performed correctly.

<sup>7</sup> *Form & Number* is freely available on the Internet Archive under a Creative Commons licence.

URL: [https://archive.org/details/cain\\_formand\\_number\\_ebook\\_large](https://archive.org/details/cain_formand_number_ebook_large)

<sup>8</sup> URL: <https://www.latex-project.org/lppl.txt>

<sup>9</sup> URL: <https://gitlab.gutenberg-asso.fr/gutenberg/traduction-de-marginalia/>

<sup>10</sup> URL: <https://codeberg.org/ajcain/marginalia>

**Licence.** `marginalia` is released under the  $\LaTeX$  Project Public Licence v1.3c or later.<sup>8</sup>

**Acknowledgements.** The author thanks Ulrike Fischer for explaining how to add tagging support, and Julien Labbé for some valuable suggestions.

**Translation.** A French translation of the documentation has been made by members of GUTenberg (Le Groupe francophone des Utilisateurs de  $\TeX$ ).<sup>9</sup>

**Feature requests and bug reports** The development code and issue tracker are hosted at Codeberg.<sup>10</sup>

**Other resources.** An introduction to `marginalia` has appeared in *TUGboat* [Cai25].

## 2 Requirements

`marginalia` requires

- (1) Lua $\LaTeX$ ,
- (2) a recent  $\LaTeX$  kernel with `expl3` support (any kernel version since 2020-02-02 should suffice).

It does not depend on any other packages.

## 3 Installation

To install `marginalia` manually, run `luatex marginalia.ins` and copy `marginalia.sty` and `marginalia.lua` to somewhere Lua $\LaTeX$  can find them.

## Getting started

```
\documentclass[11pt,a4paper]{article}

\usepackage{marginalia}

\begin{document}

Here is some body text.\marginalia{Here is a marginal note.} Some more
body text.\marginalia[style=\footnotesize\itshape\raggedright]{Here is another
  marginal note, set in smaller text and italics, whose position has been
  adjusted automatically.}

\vspace{20mm}

Some final body text after a space.\marginalia[pos=left, valign=b,
style=\sffamily\raggedleft, width=35mm]{This note is placed on the left side
  of the page, wider, in sans serif, ragged left, and bottom-aligned.}

\end{document}
```




Figure 4.1: A small demonstration of marginalia.

## 4 Getting started

`marginalia` works ‘out of the box’. Load the package (there are no package options) and use the main `\marginalia` command to place marginal content. [Figure 4.1](#) shows the source code for a small demonstration and the resulting document. *The source code must be processed twice by `LuaATEX` for the marginal content to be placed correctly.* (See [Section 8](#) for discussion of the need for multiple runs.)

Turn to [Section 5](#) for a detailed description of the available user commands, and [Section 6](#) for the various options (such as `style=<code>`) that can be used to change the placement and formatting of the marginal content.

## 5 User commands

---

`\marginalia` `\marginalia[options]{content}`

This is the basic command for placing marginal content. The `<content>` can, roughly speaking, be anything: text, mathematics, included graphics, TikZ. The optional argument `<options>` is a key–value list that specifies how the content is typeset. The keys are described in [Section 6](#).

---

`\marginaliasetup` `\marginaliasetup{options}`

This command is used to set options for subsequent calls to `\marginalia`. The argument `<options>` is the same kind of key–value list as the `<options>` argument for the `\marginalia` command, and the keys are described in [Subsection 6](#).

Note that `\marginaliasetup` can be used in the preamble or in the body of the document. Options set using `\marginaliasetup` have effect only within the current group.

---

`\marginalianewgeometry` `\marginalianewgeometry`

11 URL: <https://ctan.org/pkg/geometry>

This command signals to `marginalia` that the page layout has been changed, for instance by using the `\newgeometry` command from the `geometry` package,<sup>11</sup> or by using the  $\text{\LaTeX}$  command `\twocolumn` to switch to two-column mode. It should be issued immediately after such a change, and certainly before the first page with the new layout has been shipped out. There is no harm in using it unnecessarily.

### 5.1 Access to page and column

Within the `<content>` of `\marginalia`, two counters are available which specify the actual page and column in which the call to `\marginalia` appears. These counters can be used to select different actions depending on the page on which the content appears or (in two-column mode) whether it pertains to the left or right column. It is best to use the variants of the `style` and `width` keys if marginal content should have different widths or styles depending on whether they appear on a recto/verso page or pertain to a particular column. These counters are made available for purposes not covered by the `style` and `width` variants. The value of each counter is based on the position of the call to `\marginalia` on the previous  $\text{\LaTeX}$  run.

---

`\marginaliapage` A counter register, available within the `<content>` of `\marginalia`, that holds the actual page on which the marginal content appears. The value is based on the previous  $\text{\LaTeX}$  run and will default to 1.

---

`\marginaliacolumn` A counter register, available within the `<content>` of `\marginalia`, that holds the actual column to which the marginal content pertains. The value is 1 for the left column, 2 for the right column. In one-column mode, the value is always 0. (If the key `column` is used to manually specify the column to which the content pertains, the value of `\marginaliacolumn` will change accordingly.) The value is based on the previous  $\text{\LaTeX}$  run and will default to 0.

## Options

Table 1: Summary of keys affecting the type and position of the marginal content. (For keys affecting the appearance of marginal content, see Table 2.) All keys can be set using `\marginaliasetup` or passed in the optional argument to `\marginalia`.

Key name	Value	Default
<code>type</code>	<code>{normal, fixed, optfixed}</code>	<code>normal</code>
<code>pos</code>	<code>{auto, reverse, left, right, nearest}</code>	<code>auto</code>
<code>column</code>	<code>{auto, one, left, right}</code>	<code>auto</code>
<code>xsep</code>	Dimension	<code>\marginparsep</code>
<code>xsep outer</code>	Dimension	<code>\marginparsep</code>
<code>xsep inner</code>	Dimension	<code>\marginparsep</code>
<code>xsep between</code>	Dimension	<code>\marginparsep</code>
<code>xsep recto outer</code>	Dimension	<code>\marginparsep</code>
<code>xsep recto inner</code>	Dimension	<code>\marginparsep</code>
<code>xsep verso outer</code>	Dimension	<code>\marginparsep</code>
<code>xsep verso inner</code>	Dimension	<code>\marginparsep</code>
<code>xsep right between</code>	Dimension	<code>\marginparsep</code>
<code>xsep left between</code>	Dimension	<code>\marginparsep</code>
<code>valign</code>	<code>{t, b, c, m}</code>	<code>t</code>
<code>yshift</code>	Dimension	<code>0pt</code>
<code>ysep</code>	Dimension	<code>\marginparpush</code>
<code>ysep above below</code>	Dimension	<code>\marginparpush</code>
<code>ysep above</code>	Dimension	<code>\marginparpush</code>
<code>ysep below</code>	Dimension	<code>\marginparpush</code>
<code>ysep page top</code>	Dimension	[Margin above textblock]
<code>ysep page bottom</code>	Dimension	[Margin below textblock]
<code>ysep page top margin</code>	[None]	—
<code>ysep page bottom margin</code>	[None]	—
<code>ysep page top bottom margin</code>	[None]	—

## 6 Options

The description of keys in this section, which are summarized in Tables 1 and 2 (on pages 7 and 13 respectively), should be read in conjunction with the discussion of how marginal content is placed in Section 7. In particular, the variants of the keys `style`, `width`, and `mark` follow the terminology shown in Figure 7.1.

Note that the initial values of the various keys that take dimensions (namely `width...`, `xsep...`, `ysep...`) are assigned at `\begin{document}`. Thus their defaults are determined by the values of `\marginparwidth`, `\marginparsep`, `\marginparpush` and the page layout at `\begin{document}`, *not* at package load time. Similarly, if the user sets these keys in the preamble, the assignment is evaluated at `\begin{document}`. For example, using `\marginaliasetup{width=.5\oddsidemargin}` in the preamble results in the `width` key being set to half the value of `\oddsidemargin` at `\begin{document}`, *not* to half the value of `\oddsidemargin` at the call to `\marginaliasetup`.

### 6.1 Type

`type` The `type` of an item of marginal content can be set to one of the following three values:

## Options

**normal:** The vertical position of the item will be changed automatically if necessary to prevent a clash with another item of content.

**fixed:** The vertical position of the item will *never* be changed automatically from the position specified by `yshift`, even if there is a clash with another item. (The type `fixed` was designed for setting float captions in the margin, since a caption should not move away from the float with which it is associated.)

**optfixed:** The vertical position of the item will *never* be changed automatically from the position specified by `yshift`, even if there is a clash with another item. But an `optfixed` item will not appear in the document if it would clash with a `fixed` item. (The type `optfixed` was designed for setting running heads in the margin, which should not appear if they would clash with a figure caption set in the margin.)

(Default: `normal`)

## 6.2 Horizontal placement

`pos` The position in which an item of marginal content should be placed. It can be set to one of the the following four values:

**auto:** Place the item in the default position as described in [Section 7](#): the outer margin in single-column mode, and on the opposite side from the other column in two-column mode.

**reverse:** Place the item on the opposite side of the text block (in one-column mode) or column (in two-column mode) from `auto`.

**left:** The left side of the text block or column.

**right:** The right side of the text block of column.

**nearest:** The side of the text block or column nearest to which `\marginalia` was called.

(Default: `auto`)

`column` In two-column mode, `marginalia` tries to determine to which column an item of marginal content pertains using the position of the call to `\marginalia`. If the call is to the left of the mid-point between the columns, the item is assumed to pertain to the left column; otherwise, it is assumed to pertain to the right column. In certain situations, this might lead to undesired placement of the item. In particular, any call to `\marginalia` in a full-width float in two-column mode would be handled as if it were a call from one of the columns and might thus be set in the wrong place. Similarly, an overflow `hbox` or a piece of `\rlap`-ped text might carry a call to `\marginalia` from the left column text into the area of the page occupied by the right column.

The key `column` can be used to specify which column `marginalia` should place the item in. It can be set to one of four values:

**auto:** Automatically determine which column an item of marginal content is placed in.

**one:** Treat the item as being called from one-column mode.

**left:** Treat the item as pertaining to the left column.

**right:** Treat the item as pertaining to the right column.

The value of `column` has no effect in one-column mode. (Default: `auto`)



## Options

These keys specify the horizontal separation between an item of marginal content and the text block next to which it is placed. Which separation is used will depend on where the item is typeset. The terminology is as in [Figure 7.1](#).

<code>xsep</code>	<b>xsep recto outer:</b> used for an item in the outer margin of a recto page.
<code>xsep outer</code>	<b>xsep recto inner:</b> used for an item in the inner margin of a recto page.
<code>xsep inner</code>	<b>xsep verso outer:</b> used for an item in the outer margin of a verso page.
<code>xsep between</code>	<b>xsep verso inner:</b> used for an item in the inner margin of a verso page.
<code>xsep recto outer</code>	<b>xsep right between:</b> used for an item set from the right column between the columns.
<code>xsep recto inner</code>	<b>xsep left between:</b> used for an item set from the left column between the columns.
<code>xsep verso outer</code>	<b>xsep outer:</b> a shorthand for setting the keys <code>xsep recto outer</code> and <code>xsep verso outer</code> simultaneously to the same value.
<code>xsep verso inner</code>	<b>xsep inner:</b> a shorthand for setting the keys <code>xsep recto inner</code> and <code>xsep verso inner</code> simultaneously to the same value.
<code>xsep right between</code>	<b>xsep between:</b> a shorthand for setting the keys <code>xsep right between</code> and <code>xsep left between</code> simultaneously to the same value.
<code>xsep left between</code>	<b>xsep:</b> a shorthand for setting all of these keys simultaneously.

(The shorthands `xsep outer` and `xsep inner` exist because page geometry is usually symmetrical between recto and verso pages as regards outer and inner margins. The shorthand `xsep between` exists because the space between columns, if used at all for marginal content, will often be shared equally.) Each of these keys must be set to a valid dimension. (*Default:* value of `\marginparsep` at `\begin{document}`)

## 6.3 Vertical placement

`valign` This key specifies the vertical alignment of the marginal content item, before any `yshift` or automatic adjustment is applied. It can be set to one of the following three values:

- t:** The baseline of the marginal content item is the baseline of the topmost box in its contents. Thus, if no `yshift` is specified and there is no automatic adjustment, the baseline of the topmost box of the marginal content will be vertically aligned with the line where the call to `\marginalia` is located.
- b:** The baseline of the marginal content item is the baseline of the bottommost box in its contents. Thus, if no `yshift` is specified and there is no automatic adjustment, the baseline of the bottommost box of the marginal content will be vertically aligned with the line where the call to `\marginalia` is located.
- c:** The baseline of the marginal content item will be placed centrally between top and bottom of the contents as a whole.
- m:** The baseline of the marginal content item will be midway between the baselines of the topmost and bottommost boxes in its contents. Thus, if the marginal content comprises an *odd* number of *equally-spaced* lines, the baseline of the middle line will be vertically aligned with the line where the call to `\marginalia` is located.

These values are illustrated in [Figure 6.1](#) If `type=normal`, then the alignments described above for `t`, `b`, `m` may not hold because of automatic adjustment. (*Default:* `t`)

The option `valign=c` may be useful if the marginal content contains a picture, which would sit on a single oversized line. Conversely, the option `valign=m` may be useful if one is wants textual alignment with the body text.

## Options

```
\documentclass[11pt,a4paper]{article}

\usepackage{marginalia}
\marginaliasetup{
  ysep page top=0mm,
  style recto outer=\raggedright\footnotesize,
  style recto inner=\raggedleft\footnotesize,
  width=30mm,
}

\begin{document}

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod%
\marginalia[valign=t]{\large\ttfamily valign=t}\The baseline of this marginal note
  is the baseline of the its top line.}%
\marginalia[valign=b,pos=reverse]{\large\ttfamily valign=b}\The baseline of this
  marginal note is the baseline of its bottom line.}

\vspace{30mm}

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris
nisi%
\marginalia[valign=c,pos=reverse]{\large\ttfamily valign=c}\The baseline of this
  marginal note is midway between the top and bottom of its content.}%
\marginalia[valign=m]{\large\ttfamily valign=m}\The baseline of this marginal note
  is midway between the baseline of its top line and the baseline of its bottom line.}

\end{document}
```




Figure 6.1: A demonstration of the various values of `valign`.

### Options

The key `yshift` is used to shift the default position of the marginal content item up (positive) or down (negative) from its normal position, which is to have its baseline aligned with the baseline of the callout position. It must be set to a valid dimension.

`yshift` Note that if `type=normal`, then the vertical position may be adjusted from that specified by `yshift`. If this is not desired, specify a different `type`. (*Default: 0pt*).

`ysep` These keys specify the minimum vertical separation above and below an item of marginal content (see [Figure 6.2](#)).

`ysep above` **ysep above:** the minimum vertical separation between an item and the one above. (*Default: value of `\marginparpush` at `\begin{document}`*)

`ysep below` **ysep below:** the minimum vertical separation between an item and the one below. (*Default: value of `\marginparpush` at `\begin{document}`*)

`ysep page top` **ysep page top:** the minimum vertical separation between an item and top of the page. (*Default: margin above main textblock at `\begin{document}`*)

`ysep page bottom` **ysep page bottom:** the minimum vertical separation between an item and bottom of the page. (*Default: margin below main textblock at `\begin{document}`*)

**ysep above below:** is a shorthand for setting both `ysep above` and `ysep below` simultaneously to the same value.

**ysep:** is a shorthand for setting all of these keys simultaneously to the same value. Each of these keys must be set to a valid dimension.

`ysep page top margin` These keys automatically set vertical separation between an item of marginal content and the top and bottom of the page to match the main textblock.

`ysep page bottom margin` **ysep page top margin:** Automatically set `ysep page top` to match the margins above the main textblock; to be precise, `ysep page top` is set to the value of  $1\text{ in} + \text{\voffset} + \text{\topmargin} + \text{\headheight} + \text{\headsep}$ .

`ysep page top bottom margin` **ysep page bottom margin:** Automatically set `ysep page bottom` to match the margins below the main textblock; to be precise, `ysep page bottom` is set to the value of  $\text{\paperheight} - (1\text{ in} + \text{\voffset} + \text{\topmargin} + \text{\headheight} + \text{\headsep}) - \text{\textheight}$ .

**ysep page top bottom margin:** Automatically set `ysep page top` and `ysep page bottom` to match the margins above and below the main textblock; has the same effect as specifying `ysep page top margin` and `ysep page bottom margin` separately.

None of these keys takes a value. Note that if the sizes of the top and bottom margins are changed, the values of `ysep page top` and `ysep page bottom` do not change automatically, even if these options have been used. The options can of course be used immediately after the new margins have been set.

## 6.4 Appearance

An item of marginal content that appears in the inner margin might be narrower than one that appears in the outer margin, and an item appearing in the outer margin of a recto page might be set ragged right, while an item appearing in the outer margin of a verso page might be set ragged left. And since it is not known where an item will appear until the page is assembled, the keys in this subsection, dealing with the width and style of an item, have variants that apply depending on where the item appears on the page.

## Options




Figure 6.2: (Illustration of `ysep`) The length ① is at least the value of `ysep` below specified (locally or globally) for marginal content item (A) and at least the value of `ysep` above specified for item (B). In this example diagram, (B) has been automatically moved down from its natural position to maintain the required distance. Similarly, the length ② is at least the value of `ysep` below specified for (C) and at least the value of `ysep` above specified for (D), and the length ③ is at least the value of `ysep` page bottom specified for (D). In this example, to maintain the required distances, (C) and (D) have been automatically moved (respectively) up and down from their natural positions.

<code>width</code>	These keys specify the width of the n item of marginal content (or, more precisely,
<code>width outer</code>	the <code>\hsize</code> of the box into which the item is typeset). Which width is chosen will depend
<code>width inner</code>	on the where the item is typeset. The terminology is as in <a href="#">Figure 7.1</a> .
<code>width between</code>	<b>width recto outer:</b> used for an item in the outer margin of a recto page.
<code>width recto outer</code>	<b>width recto inner:</b> used for an item in the inner margin of a recto page.
<code>width recto inner</code>	<b>width verso outer:</b> used for an item in the outer margin of a verso page.
<code>width verso outer</code>	<b>width verso inner:</b> used for an item in the inner margin of a verso page.
<code>width verso inner</code>	<b>width right between:</b> used for an item set from the right column and placed be-
<code>width right between</code>	tween the columns.
<code>width left between</code>	<b>width left between:</b> used for an item set from the right column and placed between
	the columns.
	<b>width outer:</b> a shorthand for setting the keys <code>width recto outer</code> and <code>width verso</code>
	<code>outer</code> simultaneously to the same value.
	<b>width inner:</b> a shorthand for setting the keys <code>width recto inner</code> and <code>width verso</code>
	<code>inner</code> simultaneously to the same value.
	<b>width between:</b> a shorthand for setting the keys <code>width right between</code> and <code>width</code>
	<code>left between</code> simultaneously to the same value.
	<b>width:</b> a shorthand for setting all of these keys simultaneously.

## Options

Table 2: Summary of keys affecting the appearance of the marginal content. (For keys affecting the type or position of marginal content, see [Table 1.](#)) All keys can be set using `\marginaliasetup` or passed in the optional argument to `\marginalia`.

Key name	Value	Default
<code>width</code>	Dimension	<code>\marginparwidth</code>
<code>width outer</code>	Dimension	<code>\marginparwidth</code>
<code>width inner</code>	Dimension	<code>\marginparwidth</code>
<code>width between</code>	Dimension	<code>\marginparwidth</code>
<code>width recto outer</code>	Dimension	<code>\marginparwidth</code>
<code>width recto inner</code>	Dimension	<code>\marginparwidth</code>
<code>width verso outer</code>	Dimension	<code>\marginparwidth</code>
<code>width verso inner</code>	Dimension	<code>\marginparwidth</code>
<code>width right between</code>	Dimension	<code>\marginparwidth</code>
<code>width left between</code>	Dimension	<code>\marginparwidth</code>
<code>style</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>style recto outer</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>style recto inner</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>style verso outer</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>style verso inner</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>style right between</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>style left between</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>mark</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>mark recto outer</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>mark recto inner</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>mark verso outer</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>mark verso inner</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>mark right between</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]
<code>mark left between</code>	L <sup>A</sup> T <sub>E</sub> X code	[Empty]

(The shorthands `width outer` and `width inner` exist because page geometry is usually symmetrical between recto and verso pages as regards outer and inner margins. The shorthand `width between` exists because the space between columns, if used at all for marginal content, will often be shared equally.) Each of these keys must be set to a valid dimension. (*Default:* value of `\marginparwidth` at `\begin{document}`})

`style` These keys specify the style with which an item of marginal content is typeset.

`style recto outer` Which style is chosen will depend on where the item is typeset. The terminology is as in [Figure 7.1.](#)

`style recto inner`

`style verso outer` **style recto outer:** used for an item in the outer margin of a recto page.

`style verso inner` **style recto inner:** used for an item in the inner margin of a recto page.

`style right between` **style verso outer:** used for an item in the outer margin of a verso page.

`style left between` **style verso inner:** used for an item in the inner margin of a verso page.

**style right between:** used for an item set from the right column between the columns.

**style left between:** used for an item set from the right column between the columns.

**style:** a shorthand for setting all of these keys simultaneously.

*Placement* Each of these keys should be set to L<sup>A</sup>T<sub>E</sub>X code that specifies the style. (*Default:* [Empty])

These keys specify code to typeset something alongside the line where the call to `\marginalia` appears, on the same side on which the marginal content is placed. Roughly speaking, they can be set to any L<sup>A</sup>T<sub>E</sub>X code, from a single symbol to a TikZ picture. Which code is chosen will depend on where the marginal item is typeset. If the marginal item is placed on the right of the text, the `mark` code will be executed in an `\rlap` flush with the right end of the line; if the marginal item is placed on the left of the text, the `mark` code will be executed in an `\llap` flush with the left end of the line. These could be used to place arrowheads or more complicated indicators associating a marginal item with the text; see [Figure 6.3](#)

The terminology for the various `mark` options is as in [Figure 7.1](#).

**mark recto outer:** used for an item in the outer margin of a recto page.

**mark recto inner:** used for an item in the inner margin of a recto page.

**mark verso outer:** used for an item in the outer margin of a verso page.

**mark verso inner:** used for an item in the inner margin of a verso page.

**mark right between:** used for an item set from the right column between the columns.

**mark left between:** used for an item set from the right column between the columns.

**mark:** a shorthand for setting all of these keys simultaneously.

Each of these keys should be set to L<sup>A</sup>T<sub>E</sub>X code. (*Default:* [Empty])

## 7 Placement

The placement of an item of marginal content depends on where the call to `\marginalia` appears in the finished document. Both horizontal and vertical placement can be complicated.

### 7.1 Horizontal placement

To understand the horizontal placement, first recall some terminology: a recto page is an odd-numbered page in two-sided mode, or any page in one-sided mode; a verso page is an even-numbered page in two-sided mode. The description in the paragraphs that follow is summarized in [Figure 7.1](#).

In one-column mode, marginal content is placed by default in the outer margin: right on recto pages, left on verso pages. If `pos=reverse` is applied, it is placed in the inner margin: left on recto pages, right on verso pages.

In two-column mode, the default placement is next to the column in which the call to `\marginalia` appears, on the side opposite to the other column. Thus, if the call to `\marginalia` was in the left column, the marginal content item is placed by default on the left: on a recto page, the inner margin, on a verso page, the outer margin. If `pos=reverse` is applied, it is placed between the two columns, adjacent to the left column. If the call to `\marginalia` was in the right column, the item is placed by default on the right: on a recto page, the outer margin, on a verso page, the inner margin. If `pos=reverse` is applied, it is placed between the two columns, adjacent to the right column.

`pos=left` specifies that the item is to be placed on the left of the text block or column containing the call to `\marginalia`.

`pos=right` similarly specifies that the item is to be placed on the right of the text block or column containing the call to `\marginalia`.

## Placement

```

\documentclass[11pt,a4paper]{article}

\usepackage{marginalia}
\marginaliasetup{
  xsep=5mm, style=\raggedright\sffamily,
}

\usepackage{tikz}
\newcommand\drawarrow{%
  \tikz[remember picture,overlay]
    \draw[->,thick] (arrowstart) -- ++(-1.5mm,0) |- (.5mm,.5ex);%
}
\newcommand\savearrowstart{%
  \tikz[remember picture,overlay] \coordinate (arrowstart) at (-.5mm,.5ex);%
}

\begin{document}

Lorem ipsum dolor sit amet,%
\marginalia[mark={~$\triangleleft$}]{A marginal note. (Extra text to push down the
note below.)} consecetur adipiscing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation
ullamco laboris nisi ut aliquip ex ea commodo consequat.%
\marginalia[mark={\drawarrow}]{\savearrowstart Another marginal note.}
Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu
fugiat nulla pariatur.

\end{document}

```




Figure 6.3: A demonstration of the `mark` option, in particular showing how it can be used to draw a TikZ arrow from a (moved) note to the relevant line. Notes: (1) The code in the marginal content is processed *before* the mark, so the `mark` TikZ code refers to a coordinate defined in the marginal content, not the other way around. (2) The code must be compiled *three* times to give this output, because the `arrowstart` coordinate is not placed correctly until after `marginalia` has placed the second marginal note on the second run. Thus one more run is necessary for TikZ to draw the arrow correctly.




Figure 7.1: Summary of the positioning of marginal content using `pos`, and terminology used in `width` and `style` keys, on recto and verso pages, in both one-column and two-column mode.

`marginalia` determines in which column the call to `\marginalia` was made using its horizontal position. As discussed in the description of key `column`, there are situations where this can go wrong and which necessitate a manual specification of a particular column.

## 7.2 Vertical placement

`marginalia` tries by default to place the each item of marginal content with its baseline shifted by the value of `yshift` (by default, 0pt) from the baseline where `\marginalia` was called. The actual vertical placement is calculated by the procedure described below, carried out for the items appearing in a particular horizontal location. (As shown in Figure 7.1, in one-column mode the possible locations are in outer and inner margins; in two-column mode the possible locations are the outer and inner margins and on the left and right sides of the space between the columns.) A *clash* exists when two items are closer than specified by `ysep below` for the upper item or `ysep above` for the lower item, whichever is greater.

For the items in each horizontal location, the procedure is as follows:

1. Place the items appearing in a given horizontal location on the page into a list.
2. Set the vertical shift of each item to the one specified by `yshift`.
3. For each `type=optfixed` item, if it clashes with any `type=fixed` item, delete it from the list of items that appear on the page.



## Usage notes

- Sort the list by the position of the call to `\marginalia`, top-to-bottom, left-to-right, breaking ties by the order of calls. (Because of floats, footnotes, etc., the sorted order of the list is not necessarily the same as the order of appearance of `\marginalia` commands in the source code.)
- Pass through the list of items in sorted order. For each `type=normal` item, if necessary shift it in a negative (downward) direction so that it (1) does not reach closer to the top of the page than specified by `ysep page top`, and (2) does not clash with the previous (above) item. (After this stage, it is possible for an assigned vertical shift to push a `type=normal` item off the bottom of the page.)
- Pass through the list of items in the reverse of the sorted order. For each `type=normal` item, if necessary shift it in a positive (upward) direction so that it (1) does not reach closer to the bottom of the page than specified by `ysep page bottom`, and (2) does not clash with the next (below) item.

During this process, it may be found that it is impossible to prevent clashes or items reaching beyond the limits (e.g. fixed items clash with each other; a fixed item conflicts with `ysep page top` or `ysep page bottom`, or there are simply too many items of marginal content to fit (in which case, the top of some of them will be above the limit specified by `ysep page top` or will clash with fixed items)). In these cases, warnings are issued at the end of the Lua $\LaTeX$  run.

## 8 Usage notes

`marginalia` requires a minimum of two Lua $\LaTeX$  runs, and often more, to place items of marginal content correctly. On the first pass, information about items, including their vertical size, is written to the `.aux` file, and this information is used to position them correctly on the next run. However, because `width` and `style` have variants dependent on the margin in which the item is placed, an item may only be typeset at the correct size on this second run. Thus the vertical size of the item may have changed and so the information written to the `.aux` file on the previous run may be out of date. In this case a third run may be needed for correct placement.

More runs may be needed if the position of the call to `\marginalia` changes between runs. (For example, if `\marginalia` is used to set numbered sidenotes with per-page numbering, the number may change between runs and the small difference in widths can change line breaks and page/column breaks.) Provided that the main text stabilizes, the placement of items using `\marginalia` should be correct two runs later.

At the end of the Lua $\LaTeX$  run, `marginalia` reports any problems encountered in the vertical placement of items (as described at the end of [Subsection 7.2](#)). These problems are based on calculations made on the basis of information from the previous written to the `.aux` file on the previous run, and may not arise if item positions or sizes (i.e. height or depth) have changed. `marginalia` also reports any changes in positions or sizes compared to the previous run.

In these reports, a page number refers to a visible page number if it is prefixed with ‘p’; it otherwise refers to the absolute page number of the output.

## 9 Incompatibilities

Using `marginalia` alongside `\marginpar` or packages like `mparhak`, `marginnote`, `marginfix`, or `marginfit` should not produce any errors, but `marginalia` will ignore marginal content not created using `\marginalia`; for example, an item of marginal content created using `\marginpar` might overlap with one created using `\marginpar`.

## 10 Limitations

As noted in the introduction, `marginalia` was originally written to typeset a particular kind of book. It thus has several limitations. Three of these are:

**Lua $\LaTeX$ only** Most of the code for deciding the placement of items of marginal content is written in Lua. In principle, it could be replaced with a pure  $\LaTeX$  solution.

**No support for ‘moving past’ fixed items** The adjustment of vertical positions will never cause a `type=normal` item to be shifted past a `type=fixed` one, even when there is space on the other side. It may be desirable to have this available as an option.

**No support for nested content items** Nesting might be desirable for typesetting editions of manuscripts which sometimes contain marginal glosses, and then glosses upon those glosses.

The lack of any built-in facility for producing (for example) numbered sidenotes is a conscious design choice. This is properly the concern of a command that merely uses `\marginalia` to place the notes correctly.

## References

- [Bri04] R. Bringhurst. *The Elements of Typographic Style*. Hartley & Marks, version 3.0, 2004.
- [Cai24] A. J. Cain. *Form & Number: A History of Mathematical Beauty*. Lisbon, 2024. URL: [https://archive.org/details/cain\\_formandnumber\\_ebook\\_large](https://archive.org/details/cain_formandnumber_ebook_large).
- [Cai25] A. J. Cain ‘`marginalia` at work: Running heads, float captions, citations, and small figures in the margins’. *TUGboat*. The Communications of the  $\TeX$  Users Group. 46, no.1 (2025), pp.49–53. DOI: [10.47397/tb/46-1/tb142cain-marginalia](https://doi.org/10.47397/tb/46-1/tb142cain-marginalia)

## 11 Implementation (L<sup>A</sup>T<sub>E</sub>X package)

```
1 <*package>
2 <@@=marginalia>
```

### 11.1 Initial set-up

Package identification/version information.

```
3 \NeedsTeXFormat{LaTeX2e}[2020-02-02]
4 \ProvidesExplPackage{marginalia}{2025-12-06}{0.83.17}
5 {Non-floating marginal content for LuaLaTeX}
```

Check that Lua<sub>T</sub>E<sub>X</sub> is in use.

```
6 \sys_if_engine luatex:F
7 {
8   \msg_new:nnn{marginalia}{lualatex_required}
9   {LuaLaTeX-required.~Package-loading-will-abort.}
10  \msg_critical:nn{marginalia}{lualatex_required}
11 }
```

### 11.2 Tagging set-up

If L<sup>A</sup>T<sub>E</sub>X has tagging support, set up sockets if necessary and define `\__marginalia_tagging_socket:n` to be `\UseTaggingSocket`.

```
12 \@ifundefined{UseTaggingSocket}
13 {
14   \cs_new:Npn \__marginalia_tagging_socket:n #1 {}
15 }
16 {
17   \str_if_exist:cF { l__socket_tagsupport/marginpar/begin_plug_str }
18   {
19     \socket_new:nn {tagsupport/marginpar/begin}{0}
20     \socket_new:nn {tagsupport/marginpar/end}{0}
21   }
22   \str_if_exist:cF { l__socket_tagsupport/para/restore_plug_str }
23   {
24     \socket_new:nn {tagsupport/para/restore}{0}
25   }
26   \cs_new:Npn \__marginalia_tagging_socket:n #1
27   {
28     \UseTaggingSocket{#1}
29   }
30 }
```

### 11.3 Auxiliary macro for dimension setting

`\__marginalia_set_dim:Nn` Set the dimension variable passed as the first parameter to value specified in second parameter at `begindocument` if used in the preamble, or immediately (since `begindocument` is a one-time hook) in the document.

```
31 \cs_new:Nn \__marginalia_set_dim:Nn
32 {
33   \hook_gput_code:nnn { begindocument } { ./dim }
34   {
35     \dim_set:Nn #1 { #2 }
36   }
37 }
```

```

36     }
37 }

```

*(End of definition for `\_marginalia_set_dim:Nn`.)*

## 11.4 Auxiliary macros for setting options

`\_marginalia_setup_preamble:n` Macro used to set the configuration in the preamble. This only has effect at the outer group level: inside a group, options should be confined to that group, so adding the options that use the `begindocument` hook (via `\_marginalia_set_dim:Nn`) should have no effect. And since `\marginalia` cannot be used in the preamble, setting other options inside a group in the preamble is pointless.

```

38 \cs_new:Npn \_marginalia_setup_preamble:n #1
39 {
40   \int_if_zero:N\T{ \currentgrouplevel }
41   {
42     \keys_set:nn{marginalia}{ #1 }
43   }
44 }

```

*(End of definition for `\_marginalia_setup_preamble:n`.)*

`\_marginalia_setup_body:n` Macro used to set the configuration in the document body.

```

45 \cs_new:Npn \_marginalia_setup_body:n #1
46 {
47   \keys_set:nn{marginalia}{ #1 }
48 }

```

*(End of definition for `\_marginalia_setup_body:n`.)*

`\_marginalia_setup:n` The macro `\_marginalia_setup:n` is defined to be `\_marginalia_setup_preamble:n` initially and is redefined to `\_marginalia_setup_body:n` at `begindocument/end`.

```

49 \cs_set_eq:NN\_marginalia_setup:n\_marginalia_setup_preamble:n
50 \hook_gput_code:nnn{ begindocument/end }{ ./marginaliasetup }
51 {
52   \cs_set_eq:NN\_marginalia_setup:n\_marginalia_setup_body:n
53 }

```

*(End of definition for `\_marginalia_setup:n`.)*

## 11.5 Options

Set up the key–value options and the variables in which the settings will be stored.

### 11.5.1 Type

`\l__marginalia_type_int` A key to store the type of the marginal content item. The setting is held in an integer variable: 1 = normal, 2 = fixed, 3 = optfixed.

```
54 \int_new:N\l__marginalia_type_int
55 \keys_define:nn { marginalia }
56 {
57   type .choices:nn = {normal,fixed,optfixed}{
58     \int_set:Nn\l__marginalia_type_int{\l_keys_choice_int}
59   },
60   type .initial:n = normal,
61 }
```

*(End of definition for \l\_\_marginalia\_type\_int.)*

### 11.5.2 Horizontal placement

`\l__marginalia_pos_int` A key to store the specified position of the marginal content item. The setting is held in an integer variable: 1 = auto, (the outer margin in one-column mode; left margin in left column, right margin in right column in two-column mode) 2 = reverse (inner margin in one-column mode; between the columns in two-column mode), 3 = left, 4 = right, 5 = nearest.

```
62 \int_new:N\l__marginalia_pos_int
63 \keys_define:nn { marginalia }
64 {
65   pos .choices:nn = {auto,reverse,left,right,nearest}{
66     \int_set:Nn\l__marginalia_pos_int{\l_keys_choice_int}
67   },
68   pos .initial:n = auto
69 }
```

*(End of definition for \l\_\_marginalia\_pos\_int.)*

`\l__marginalia_column_int` A key to force the marginal content item to be treated in one-column mode or as being set from the left or right column. The setting is held in an integer variable: -1 = auto (automatic), 0 = one (one-column mode), 1 = left (left column) 2 = right (right column).

```
70 \int_new:N\l__marginalia_column_int
71 \keys_define:nn { marginalia }
72 {
73   column .choices:nn = {auto,one,left,right}{
74     \int_set:Nn\l__marginalia_column_int{\l_keys_choice_int-2}
75   },
76   column .initial:n = auto,
77 }
```

*(End of definition for \l\_\_marginalia\_column\_int.)*

`\l__marginalia_xsep_recto_outer_dim`  
`\l__marginalia_xsep_recto_inner_dim`  
`\l__marginalia_xsep_verso_outer_dim`  
`\l__marginalia_xsep_verso_inner_dim`  
`\l__marginalia_xsep_right_between_dim`  
`\l__marginalia_xsep_left_between_dim` Dimension keys to hold the separation between the marginal content item and the main text, which can be dependent on where it appears on the page.

```
78 \dim_new:N\l__marginalia_xsep_recto_outer_dim
79 \dim_new:N\l__marginalia_xsep_recto_inner_dim
80 \dim_new:N\l__marginalia_xsep_verso_outer_dim
81 \dim_new:N\l__marginalia_xsep_verso_inner_dim
```

```

82 \dim_new:N\l__marginalia_xsep_right_between_dim
83 \dim_new:N\l__marginalia_xsep_left_between_dim
84 \keys_define:nn { marginalia }
85 {
86   xsep~recto~outer .code:n
87     = \__marginalia_set_dim:Nn\l__marginalia_xsep_recto_outer_dim{#1},
88   xsep~recto~inner .code:n
89     = \__marginalia_set_dim:Nn\l__marginalia_xsep_recto_inner_dim{#1},
90   xsep~verso~outer .code:n
91     = \__marginalia_set_dim:Nn\l__marginalia_xsep_verso_outer_dim{#1},
92   xsep~verso~inner .code:n
93     = \__marginalia_set_dim:Nn\l__marginalia_xsep_verso_inner_dim{#1},
94   xsep~right~between .code:n
95     = \__marginalia_set_dim:Nn\l__marginalia_xsep_right_between_dim{#1},
96   xsep~left~between .code:n
97     = \__marginalia_set_dim:Nn\l__marginalia_xsep_left_between_dim{#1},
98   xsep .code:n = {
99     \keys_set:nn{ marginalia }{
100       xsep~recto~outer=#1,
101       xsep~recto~inner=#1,
102       xsep~verso~outer=#1,
103       xsep~verso~inner=#1,
104       xsep~right~between=#1,
105       xsep~left~between=#1,
106     }
107   },
108   xsep~outer .code:n = {
109     \keys_set:nn{ marginalia }{
110       xsep~recto~outer=#1,
111       xsep~verso~outer=#1,
112     }
113   },
114   xsep~inner .code:n = {
115     \keys_set:nn{ marginalia }{
116       xsep~recto~inner=#1,
117       xsep~verso~inner=#1,
118     }
119   },
120   xsep~between .code:n = {
121     \keys_set:nn{ marginalia }{
122       xsep~right~between=#1,
123       xsep~left~between=#1,
124     }
125   },
126   xsep .initial:n = \marginparsep,
127 }

```

*(End of definition for \l\_\_marginalia\_xsep\_recto\_outer\_dim and others.)*

### 11.5.3 Vertical placement

`\l__marginalia_valign_int` A key to store the vertical alignment of the marginal content item. The setting is held in an integer variable: 1 = t (aligned at the baseline of the topmost line of the item), 2 = b (aligned at the baseline of the bottommost line of the item).

```

128 \int_new:N\l__marginalia_valign_int
129 \keys_define:nn { marginalia }
130 {
131   valign .choices:nn = {t,b,c,m}{
132     \int_set_eq:NN\l__marginalia_valign_int\l_keys_choice_int
133   },
134   valign .initial:n = t,
135 }

```

*(End of definition for \l\_\_marginalia\_valign\_int.)*

`\l__marginalia_default_yshift_dim` Dimension key to hold the default vertical shift of the marginal content item from its natural position.

```

136 \keys_define:nn { marginalia }
137 {
138   yshift .dim_set:N = \l__marginalia_default_yshift_dim,
139   yshift .initial:n = 0pt,
140 }

```

*(End of definition for \l\_\_marginalia\_default\_yshift\_dim.)*

`\__marginalia_margin_top:` These macros are simply the calculations necessary for the space above and below the main textblock. They are simply a convenience to avoid specifying the calculation twice in the definition of the ysep keys.

```

141 \cs_new:Npn \__marginalia_margin_top:
142   {
143     1in + \voffset + \topmargin + \headheight + \headsep
144   }
145 \cs_new:Npn \__marginalia_margin_bottom:
146   {
147     \pageheight - 1in - \voffset - \topmargin - \headheight - \headsep
148     - \textheight
149   }

```

*(End of definition for \\_\_marginalia\_margin\_top: and \\_\_marginalia\_margin\_bottom:.)*

`\l__marginalia_ysep_above_dim` Dimension keys to hold the the minimum vertical spacing between a marginal content item and (respectively) the item above, the item below, the page top, and the page bottom.

```

150 \dim_new:N\l__marginalia_ysep_above_dim
151 \dim_new:N\l__marginalia_ysep_below_dim
152 \dim_new:N\l__marginalia_ysep_page_top_dim
153 \dim_new:N\l__marginalia_ysep_page_bottom_dim
154 \keys_define:nn { marginalia }
155 {
156   ysep~above .code:n
157     = \__marginalia_set_dim:Nn\l__marginalia_ysep_above_dim{#1},
158   ysep~below .code:n
159     = \__marginalia_set_dim:Nn\l__marginalia_ysep_below_dim{#1},
160   ysep~page~top .code:n
161     = \__marginalia_set_dim:Nn\l__marginalia_ysep_page_top_dim{#1},
162   ysep~page~bottom .code:n
163     = \__marginalia_set_dim:Nn\l__marginalia_ysep_page_bottom_dim{#1},
164   ysep~above~below .code:n = {

```

```

165     \keys_set:nn{ marginalia }{
166       ysep-below=#1,
167       ysep-above=#1,
168     }
169   },
170   ysep .code:n = {
171     \keys_set:nn{ marginalia }{
172       ysep-below=#1,
173       ysep-above=#1,
174       ysep-page-top=#1,
175       ysep-page-bottom=#1,
176     }
177   },
178   ysep-page-top-margin .code:n = {
179     \keys_set:nn{ marginalia }{
180       ysep-page-top
181       = \_marginalia_margin_top:
182     }
183   },
184   ysep-page-bottom-margin .code:n = {
185     \keys_set:nn{ marginalia }{
186       ysep-page-bottom
187       = \_marginalia_margin_bottom:
188     }
189   },
190   ysep-page-top-bottom-margin .code:n = {
191     \keys_set:nn{ marginalia }{
192       ysep-page-top-margin,
193       ysep-page-bottom-margin,
194     }
195   },
196   ysep-above-below .initial:n = \marginparpush,
197   ysep-page-top .initial:n = \_marginalia_margin_top:,
198   ysep-page-bottom .initial:n = \_marginalia_margin_bottom:,
199 }

```

(End of definition for `\l__marginalia_ysep_above_dim` and others.)

#### 11.5.4 Appearance

`\l__marginalia_width_recto_outer_dim` Dimension keys to hold the width of the marginal content item, which can be dependent on where it appears on the page.

```

\l__marginalia_width_recto_inner_dim
\l__marginalia_width_verso_outer_dim
\l__marginalia_width_verso_inner_dim
\l__marginalia_width_right_between_dim
\l__marginalia_width_left_between_dim
200 \dim_new:N\l__marginalia_width_recto_outer_dim
201 \dim_new:N\l__marginalia_width_recto_inner_dim
202 \dim_new:N\l__marginalia_width_verso_outer_dim
203 \dim_new:N\l__marginalia_width_verso_inner_dim
204 \dim_new:N\l__marginalia_width_right_between_dim
205 \dim_new:N\l__marginalia_width_left_between_dim
206 \keys_define:nn { marginalia }
207 {
208   width-recto-outer .code:n
209     = \_marginalia_set_dim:Nn\l__marginalia_width_recto_outer_dim{#1},
210   width-recto-inner .code:n
211     = \_marginalia_set_dim:Nn\l__marginalia_width_recto_inner_dim{#1},

```



```

212 width~verso~outer .code:n
213   = \_marginalia_set_dim:Nn\l__marginalia_width_verso_outer_dim{#1},
214 width~verso~inner .code:n
215   = \_marginalia_set_dim:Nn\l__marginalia_width_verso_inner_dim{#1},
216 width~right~between .code:n
217   = \_marginalia_set_dim:Nn\l__marginalia_width_right_between_dim{#1},
218 width~left~between .code:n
219   = \_marginalia_set_dim:Nn\l__marginalia_width_left_between_dim{#1},
220 width .code:n = {
221   \keys_set:nn{ marginalia }{
222     width~recto~outer=#1,
223     width~recto~inner=#1,
224     width~verso~outer=#1,
225     width~verso~inner=#1,
226     width~right~between=#1,
227     width~left~between=#1,
228   }
229 },
230 width~outer .code:n = {
231   \keys_set:nn{ marginalia }{
232     width~recto~outer=#1,
233     width~verso~outer=#1,
234   }
235 },
236 width~inner .code:n = {
237   \keys_set:nn{ marginalia }{
238     width~recto~inner=#1,
239     width~verso~inner=#1,
240   }
241 },
242 width~between .code:n = {
243   \keys_set:nn{ marginalia }{
244     width~right~between=#1,
245     width~left~between=#1,
246   }
247 },
248 width .initial:n = \marginparwidth,
249 }

```

*(End of definition for \l\_\_marginalia\_width\_recto\_outer\_dim and others.)*

```

\l__marginalia_style_recto_outer_tl
\l__marginalia_style_recto_inner_tl
\l__marginalia_style_verso_outer_tl
\l__marginalia_style_verso_inner_tl
\l__marginalia_style_right_between_tl
\l__marginalia_style_left_between_tl

```

Token list keys to hold the style with which a marginal content item is typeset, which can be dependent on where it appears on the page.

```

250 \keys_define:nn { marginalia }
251 {
252   style~recto~outer .tl_set:N = \l__marginalia_style_recto_outer_tl,
253   style~recto~inner .tl_set:N = \l__marginalia_style_recto_inner_tl,
254   style~verso~outer .tl_set:N = \l__marginalia_style_verso_outer_tl,
255   style~verso~inner .tl_set:N = \l__marginalia_style_verso_inner_tl,
256   style~right~between .tl_set:N = \l__marginalia_style_right_between_tl,
257   style~left~between .tl_set:N = \l__marginalia_style_left_between_tl,
258   style .code:n = {
259     \keys_set:nn{ marginalia }{
260       style~recto~outer=#1,

```

```

261     style~recto~inner=#1,
262     style~verso~outer=#1,
263     style~verso~inner=#1,
264     style~right~between=#1,
265     style~left~between=#1,
266   }
267 },
268 style .initial:n = {},
269 }

```

(End of definition for `\l__marginalia_style_recto_outer_tl` and others.)

`\l__marginalia_mark_recto_outer_tl` `\l__marginalia_mark_recto_inner_tl` `\l__marginalia_mark_verso_outer_tl` `\l__marginalia_mark_verso_inner_tl` `\l__marginalia_mark_right_between_tl` `\l__marginalia_mark_left_between_tl` Token list keys to hold code for a mark to be placed adjacent to the line where the call to `\marginalia` is located, on the same side as the marginal content item.

```

270 \keys_define:nn { marginalia }
271 {
272   mark~recto~outer .tl_set:N = \l__marginalia_mark_recto_outer_tl,
273   mark~recto~inner .tl_set:N = \l__marginalia_mark_recto_inner_tl,
274   mark~verso~outer .tl_set:N = \l__marginalia_mark_verso_outer_tl,
275   mark~verso~inner .tl_set:N = \l__marginalia_mark_verso_inner_tl,
276   mark~right~between .tl_set:N = \l__marginalia_mark_right_between_tl,
277   mark~left~between .tl_set:N = \l__marginalia_mark_left_between_tl,
278   mark .code:n = {
279     \keys_set:nn{ marginalia }{
280       mark~recto~outer=#1,
281       mark~recto~inner=#1,
282       mark~verso~outer=#1,
283       mark~verso~inner=#1,
284       mark~right~between=#1,
285       mark~left~between=#1,
286     }
287   },
288   mark .initial:n = {},
289 }

```

(End of definition for `\l__marginalia_mark_recto_outer_tl` and others.)

## 11.6 Lua backend and interface

Load the Lua backend.

```

290 \lua_now:n{
291   marginalia = require('marginalia')
292 }

```

The following 9 macros interface between  $\text{\LaTeX}$  and Lua code. Each control sequence `\__marginalia_lua_XYZ` simply calls the corresponding Lua function `marginalia.XYZ`.

`\__marginalia_lua_store_default_page_data:` `\__marginalia_lua_store_page_data:n` `\__marginalia_lua_check_page_data:n` `\__marginalia_lua_store_item_data:n` `\__marginalia_lua_check_item_data:n` `\__marginalia_lua_compute_items:` `\__marginalia_lua_write_problem_report:` `\__marginalia_lua_write_item_change_report:` The first 8 macros do not require expansion of parameters: they either have none, or process data not containing control sequences (read from the `.aux` file); hence `\lua_now:n` is used.

```

293 \cs_new:Npn\__marginalia_lua_store_default_page_data:
294 {
295   \lua_now:n{ marginalia.store_default_page_data() }
296 }

```

```

297 \cs_new:Npn\__marginalia_lua_store_page_data:n #1
298 {
299   \lua_now:n{ marginalia.store_page_data('#1') }
300 }
301 \cs_new:Npn\__marginalia_lua_check_page_data:n #1
302 {
303   \lua_now:n{ marginalia.check_page_data('#1') }
304 }
305 \cs_new:Npn\__marginalia_lua_write_page_change_report:
306 {
307   \lua_now:n{ marginalia.write_page_change_report() }
308 }
309 \cs_new:Npn\__marginalia_lua_store_item_data:n #1
310 {
311   \lua_now:n{ marginalia.store_item_data('#1') }
312 }
313 \cs_new:Npn\__marginalia_lua_check_item_data:n #1
314 {
315   \lua_now:n{ marginalia.check_item_data('#1') }
316 }
317 \cs_new:Npn\__marginalia_lua_compute_items:
318 {
319   \lua_now:n{ marginalia.compute_items() }
320 }
321 \cs_new:Npn\__marginalia_lua_write_problem_report:
322 {
323   \lua_now:n{ marginalia.write_problem_report() }
324 }
325 \cs_new:Npn\__marginalia_lua_write_item_change_report:
326 {
327   \lua_now:n{ marginalia.write_item_change_report() }
328 }

```

*(End of definition for \\_\_marginalia\_lua\_store\_default\_page\_data: and others.)*

`\__marginalia_lua_load_item_data:n` The last macro will receive a control sequence parameter and so requires expansion; hence `\lua_now:e` is used.

```

329 \cs_new:Npn\__marginalia_lua_load_item_data:n #1
330 {
331   \lua_now:e{ marginalia.load_item_data('#1') }
332 }

```

*(End of definition for \\_\_marginalia\_lua\_load\_item\_data:n.)*

## 11.7 Processing data from the .aux file

`\marginalia@pagedata` This command is used to store version information in the .aux file. It currently does nothing, but may be used in future to avoid errors if changes are made in the format of the data written to the .aux file.

```

333 \cs_new:Npn \marginalia@version #1
334 {}

```

*(End of definition for \marginalia@pagedata.)*

`\marginalia@pagedata` This command is used to store page data in the `.aux` file.

```
335 \cs_new:Npn \marginalia@pagedata #1
336 {
337   \__marginalia_process_page_data:n{#1}
338 }
```

Initially `\__marginalia_process_page_data:n` is set to `\__marginalia_lua_store_page_data:n`. Thus, when the `.aux` file is read, `\marginalia@pagedata` will pass the page data to the Lua backend to be stored.

```
339 \cs_set_eq:NN
340   \__marginalia_process_page_data:n
341   \__marginalia_lua_store_page_data:n
```

*(End of definition for `\marginalia@pagedata`.)*

`\marginalia@itemdata` This command is used to store data for each marginal content item in the `.aux` file.

```
342 \cs_new:Npn \marginalia@itemdata #1
343 {
344   \__marginalia_process_item_data:n{#1}
345 }
```

*(End of definition for `\marginalia@itemdata`.)*

Initially `\__marginalia_process_item_data:n` is set to `\__marginalia_lua_store_item_data:n`. Thus, when the `.aux` file is read, `\marginalia@itemdata` will pass the item data to the Lua backend to be stored.

```
346 \cs_set_eq:NN
347   \__marginalia_process_item_data:n
348   \__marginalia_lua_store_item_data:n
```

At the `begindocument` hook, the `.aux` file has been read and closed. The Lua backend now stores the geometry and computes the vertical shift for each item. Then the handle for the main `.aux` file is stored for use in this package.

```
349 \hook_gput_code:nnn{ begindocument }{ ./prepare }{
350   \__marginalia_lua_store_default_page_data:
351   \__marginalia_lua_compute_items:
352   \cs_set_eq:NN\l__marginalia_aux_iow\@mainaux
353 }
```

The `enddocument/afterlastpage` hook is before the `.aux` file is read back, so this is where `\__marginalia_process_page_data:n` and `\__marginalia_process_item_data:n` are set, respectively, to `\__marginalia_lua_check_page_data:n` and `\__marginalia_lua_check_item_data:n`. Thus, when the `.aux` file is read back, `\marginalia@pagedata` and `\marginalia@itemdata` will pass data to the Lua backend to be checked for changes.

```
354 \hook_gput_code:nnn{ enddocument/afterlastpage }{ ./check }{
355   \cs_set_eq:NN
356     \__marginalia_process_page_data:n
357     \__marginalia_lua_check_page_data:n
358   \cs_set_eq:NN
359     \__marginalia_process_item_data:n
360     \__marginalia_lua_check_item_data:n
361 }
```

`\_marginalia_write_reports:` All the reports of changes and/or problems are assembled in the Lua backend. This macro will write the reports as package warnings, using the following three messages, to which the Lua-assembled reports are passed as parameters:

```

362 \msg_new:nnn{marginalia}{placement_problem}
363   { Problems~in~placement.~#1 }
364 \msg_new:nnn{marginalia}{item_change}
365   { Changes~in~item~data.~Rerun~to~get~correct~placement.~#1 }
366 \msg_new:nnn{marginalia}{page_change}
367   { Changes~in~page~data.~Rerun~to~get~correct~placement.~#1 }
368 \cs_new:Npn\_marginalia_write_reports:
369   {
370     \group_begin:
371     \tl_set:N\l_tmpa_tl{\_marginalia_lua_write_problem_report:}
372     \tl_if_blank:VF\l_tmpa_tl
373     {
374       \msg_warning:nne{marginalia}{placement_problem}{\tl_use:N\l_tmpa_tl}
375     }
376     \tl_set:N\l_tmpa_tl{\_marginalia_lua_write_item_change_report:}
377     \tl_if_blank:VF\l_tmpa_tl
378     {
379       \msg_warning:nne{marginalia}{item_change}{\tl_use:N\l_tmpa_tl}
380     }
381     \tl_set:N\l_tmpa_tl{\_marginalia_lua_write_page_change_report:}
382     \tl_if_blank:VF\l_tmpa_tl
383     {
384       \msg_warning:nne{marginalia}{page_change}{\tl_use:N\l_tmpa_tl}
385     }
386     \group_end:
387   }

```

*(End of definition for `\_marginalia_write_reports:`.)*

Use the `enddocument/info` hook to write the reports of changes and/or problems.

```

388 \hook_gput_code:nnn{ enddocument/info }{ ./report } {
389   \_marginalia_write_reports:
390 }

```

## 11.8 Writing page data to the `.aux` file

`\_marginalia_write_version:` This command will be used to write the package version to the `.aux` file.

```

391 \cs_new:Npn\_marginalia_write_version:
392   {
393     \iow_now:Ne\l_marginalia_aux_iow{
394       \token_to_str:N\marginalia@version{
395         \use:c{ver@marginalia.sty}
396       }
397     }
398   }

```

*(End of definition for `\_marginalia_write_version:`.)*

To compute the positions of marginal content items, certain page layout data is required. And since all the computation takes place at the beginning of the document, it is necessary to write this information to the `.aux` file.

`\g_marginalia_pagedatano_int` Global integer variable to index page data items written to the .aux file.

```
399 \int_new:N\g__marginalia_pagedatano_int
```

*(End of definition for \g\_\_marginalia\_pagedatano\_int.)*

`\_marginalia_write_page_data:` This command will be used to write the current page data to the .aux file. It is initially defined to do nothing, so that the use of `\marginalianewgeometry` in the preamble does not cause errors (because the .aux file is not available for writing until `begindocument/end`).

```
400 \cs_set_eq:NN\_marginalia_write_page_data:\prg_do_nothing:
401 \cs_new:Npn\_marginalia_write_page_data_real:
402 {
403   \int_gincr:N\g__marginalia_pagedatano_int
404   \iow_now:Ne\l__marginalia_aux_iow{
405     \token_to_str:N\marginalia@pagedata{
406       pagedatano=\int_value:w\g__marginalia_pagedatano_int,
407       abspageno=\int_eval:n{\g_shipout_readonly_int+1},
408       hoffset=\int_value:w\hoffset,
409       voffset=\int_value:w\voffset,
410       pageheight=\int_value:w\pageheight,
411       oddsidemargin=\int_value:w\oddsidemargin,
412       evensidemargin=\int_value:w\evensidemargin,
413       textwidth=\int_value:w\textwidth,
414       columncount=\int_value:w\col@number,
415       columnwidth=\int_value:w\columnwidth,
416       columnsep=\int_value:w\columnsep,
417       twoside=\bool_to_str:n{\legacy_if_p:n{@twoside}},
418     }
419   }
420 }
```

At the `begindocument/end` hook, the .aux file has been opened for writing, and so the macro `\_marginalia_write_page_data:` is enabled and the initial page data is written out.

```
421 \hook_gput_code:nnn{ begindocument/end }{ ./initial }
422 {
423   \_marginalia_write_version:
424   \cs_set_eq:NN
425     \_marginalia_write_page_data:
426     \_marginalia_write_page_data_real:
427   \_marginalia_write_page_data:
428 }
```

*(End of definition for \\_marginalia\_write\_page\_data:.)*

## 11.9 Marginal content item processing

### 11.9.1 Variables

**Variables set by L<sup>A</sup>T<sub>E</sub>X.**

`\g_marginalia_itemno_int` Global integer variable to index marginal content items.

```
429 \int_new:N\g__marginalia_itemno_int
```

*(End of definition for \g\_\_marginalia\_itemno\_int.)*

`\l__marginalia_item_box` Box variable to hold the typeset marginal content item.

```
430 \box_new:N\l__marginalia_item_box
```

(End of definition for `\l__marginalia_item_box`.)

`\l__marginalia_item_height_dim` Dimension variables to hold the height and depth of the typeset margin content item.

```
431 \dim_new:N\l__marginalia_item_height_dim
432 \dim_new:N\l__marginalia_item_depth_dim
```

(End of definition for `\l__marginalia_item_height_dim` and `\l__marginalia_item_depth_dim`.)

**Variables set by Lua.** The following variables will be set by the Lua backend via `tex.count` and `tex.dimen` when `\__marginalia_lua_load_item_data:n` is called.

`\l__marginalia_page_int` Integer variable for the page on which the marginal content item appears. This variable will be made available via `\marginaliapage` within the `\marginalia` content.

```
433 \int_new:N\l__marginalia_page_int
```

(End of definition for `\l__marginalia_page_int`.)

`\l__marginalia_column_computed_int` Integer variable for the column next to which the marginal content item appears. This variable will be made available via `\marginaliacolumn` within the `\marginalia` content.

```
434 \int_new:N\l__marginalia_column_computed_int
```

(End of definition for `\l__marginalia_column_computed_int`.)

`\l__marginalia_xshift_computed_dim` Dimension variables to hold the differences in  $x$  and  $y$  coordinates between the call to `\marginalia` and the position where the marginal content item should appear.

```
435 \dim_new:N\l__marginalia_xshift_computed_dim
436 \dim_new:N\l__marginalia_yshift_computed_dim
```

(End of definition for `\l__marginalia_xshift_computed_dim` and `\l__marginalia_yshift_computed_dim`.)

`\l__marginalia_side_computed_int` Integer variable to indicate the side of the text block or column on which the marginal content item should be placed: 0 = right and 1 = left.

```
437 \int_new:N\l__marginalia_side_computed_int
```

(This variable could be a boolean, but an integer is used because there is no canonical access to booleans from Lua.)

(End of definition for `\l__marginalia_side_computed_int`.)

`\l__marginalia_marginno_computed_int` Integer variable to indicate in which margin the content will be placed, to enable quick selection of width and style: 0 = recto outer, 1 = recto inner, 2 = verso outer, 3 = verso inner, 4 = right between, 5 = left between.

```
438 \int_new:N\l__marginalia_marginno_computed_int
```

(End of definition for `\l__marginalia_marginno_computed_int`.)

`\l__marginalia_enabled_computed_int` Integer variable to indicate whether the marginal content item is enabled: 0 = disabled, 1 = enabled.

```
439 \int_new:N\l__marginalia_enabled_computed_int
```

(This variable could be a boolean, but an integer is used because there is no canonical access to booleans from Lua.)

(End of definition for `\l__marginalia_enabled_computed_int`.)

## 11.9.2 Core macro

`\_marginalia_process_item:n` This macro does most of the work in setting the marginal content item. The first parameter is `<options>`, the second is `<content>`.

```
440 \cs_new:Npn\_marginalia_process_item:n #1#2
441 {
```

First, increment the index, then enter a group where all the action will happen.

```
442   \int_gincr:N\g__marginalia_itemno_int
443   \group_begin:
```

Process `<options>`. These settings apply locally inside the group.

```
444     \keys_set:nn{marginalia}{ #1 }
```

Get item data from the Lua backend: the integer variables `\l__marginalia_page_int`, `\l__marginalia_column_computed_int`, `\l__marginalia_side_computed_int`, `\l__marginalia_enabled_computed_int`, and the dimension variables `\l__marginalia_xshift_computed_dim`, and `\l__marginalia_yshift_computed_dim` are set by Lua via `tex.count` and `tex.dimen`. If no data is available (if, for instance, no data has been stored from a previous run), default values will be set by Lua. On later runs, the Lua backend will supply the values computed from the data written to the `.aux` file on the previous run.

```
445     \__marginalia_lua_load_item_data:n
446     { \int_value:w\g__marginalia_itemno_int }
```

Choose the correct auxiliary function for typesetting, depending on which mode  $\TeX$  is in.

```
447     \mode_if_math:TF
448     {
449       \cs_set_eq:NN
450       \__marginalia_typeset:n
451       \__marginalia_typeset_mmode:n
452     }
453     {
454       \legacy_if:nT{@inlabel}
455       { \leavevmode }
456       \mode_if_horizontal:TF
457       {
458         \cs_set_eq:NN
459         \__marginalia_typeset:n
460         \__marginalia_typeset_hmode:n
461       }
462       {
463         \cs_set_eq:NN
464         \__marginalia_typeset:n
465         \__marginalia_typeset_vmode:n
466       }
467     }
```

Choose the correct box in which to typeset the item for the desired vertical alignment, which has been stored in `\l__marginalia_valign_int`.

```
468     \int_case:nn{\l__marginalia_valign_int}
469     {
470       {1}{ \cs_set_eq:NN\__marginalia_item_box_set:Nn\ vbox_set_top:Nn }
471       {2}{ \cs_set_eq:NN\__marginalia_item_box_set:Nn\ vbox_set:Nn }
```



```

472         {3}{ \cs_set_eq:NN\__marginalia_item_box_set:Nn\ vbox_set_center:Nn }
473         {4}{ \cs_set_eq:NN\__marginalia_item_box_set:Nn\ vbox_set_midway:Nn }
474     }

```

Choose the correct horizontal separation, width, style, and mark for the item.

```

475     \__marginalia_set_xsep_width_style_mark:

```

Typeset the  $\langle content \rangle$  into  $\backslash l\_marginalia\_item\_box$ . Use  $\backslash @parboxrestore$  for brevity, even though  $\backslash hsize$  and  $\backslash linewidth$  are subsequently set to  $\backslash l\_marginalia\_width\_dim$ . Make available  $\backslash marginaliapage$  and  $\backslash marginaliacolumn$ .

```

476     \__marginalia_tagging_socket:n {marginpar/begin}
477     \__marginalia_item_box_set:Nn\l__marginalia_item_box{
478         \@parboxrestore
479         \__marginalia_tagging_socket:n {para/restore}
480         \normalfont\normalsize
481
482         \tl_use:N\l__marginalia_style_tl
483         \dim_set_eq:NN\hsize\l__marginalia_width_dim
484         \dim_set_eq:NN\linewidth\hsize
485
486         \cs_set_eq:NN\marginaliapage\l__marginalia_page_int
487         \cs_set_eq:NN\marginaliacolumn\l__marginalia_column_computed_int
488
489         \group_begin:
490         \ignorespaces
491         #2
492         \par
493         \group_end:
494     }
495     \__marginalia_tagging_socket:n{marginpar/end}

```

Measure  $\backslash l\_marginalia\_item\_box$ .

```

496     \dim_set:Nn\l__marginalia_item_height_dim
497         {\box_ht:N\l__marginalia_item_box}
498     \dim_set:Nn\l__marginalia_item_depth_dim
499         {\box_dp:N\l__marginalia_item_box}

```

Everything is now ready to place the item on the page and write the necessary data to the  $.aux$  file. Use the chosen auxiliary function for typesetting, and immediately use  $\backslash savepos$  to store the callout position.

```

500     \__marginalia_typeset:n{
501         \savepos

```

Write the item data to the  $.aux$  file. All tokens that will change for future items, and which are currently meaningful, are expanded now; the remainder will be expanded at shipout time, when *they* are meaningful.

```

502         \iow_shipout_e:Ne\l__marginalia_aux_iow{
503             \token_to_str:N\marginalia@itemdata{
504                 itemno=\int_value:w\g__marginalia_itemno_int,
505                 abspageno=\exp_not:N\int_eval:n{\g_shipout_readonly_int},
506                 pageno=\exp_not:N\int_value:w\c@page,
507                 type=\str_use:N\int_value:w\l__marginalia_type_int,
508                 xpos=\exp_not:N\int_value:w\lastxpos,
509                 ypos=\exp_not:N\int_value:w\lastypos,
510                 height=\int_value:w\l__marginalia_item_height_dim,

```

```

511         depth=\int_value:w\l__marginalia_item_depth_dim,
512         pos=\int_value:w\l__marginalia_pos_int,
513         column=\int_value:w\l__marginalia_column_int,
514         yshift=\int_value:w\l__marginalia_default_yshift_dim,
515         ysep~above=\int_value:w\l__marginalia_ysep_above_dim,
516         ysep~below=\int_value:w\l__marginalia_ysep_below_dim,
517         ysep~page~top=\int_value:w\l__marginalia_ysep_page_top_dim,
518         ysep~page~bottom=\int_value:w\l__marginalia_ysep_page_bottom_dim,
519     }
520 }

```

Finally, if the item is enabled, typeset it onto the page: shift the item by

$$|\l__marginalia_xshift_computed_dim| + |\l__marginalia_xsep_dim|$$

to the right or left (depending on `\l__marginalia_side_computed_int` in the appropriate overlap `\hbox`, then use `\__marginalia_place_item_box`: for the vertical placement.

```

521     \int_if_zero:nF{\l__marginalia_enabled_computed_int}
522     {
523         \int_if_zero:nTF{\l__marginalia_side_computed_int}
524         {
525             \hbox_overlap_right:n{
526                 \kern\l__marginalia_xshift_computed_dim
527                 \tl_if_empty:NF\l__marginalia_mark_tl
528                 {
529                     \hbox_overlap_right:n{ \tl_use:N\l__marginalia_mark_tl }
530                 }
531                 \kern\l__marginalia_xsep_dim
532                 \__marginalia_place_item_box:
533             }
534         }
535         {
536             \hbox_overlap_left:n{
537                 \__marginalia_place_item_box:
538                 \kern\l__marginalia_xsep_dim
539                 \tl_if_empty:NF\l__marginalia_mark_tl
540                 {
541                     \hbox_overlap_left:n{ \tl_use:N\l__marginalia_mark_tl }
542                 }
543                 \kern-\l__marginalia_xshift_computed_dim
544             }
545         }
546     }
547 }

```

Close the group started near the beginning of `\__marginalia_process_item:nn`.

```

548     \group_end:
549 }

```

*(End of definition for `\__marginalia_process_item:nn`.)*

### 11.9.3 Horizontal separation, width, style, mark selection

`\__marginalia_set_xsep_width_style_mark:` Set `\l__marginalia_xsep_dim`, `\l__marginalia_width_dim`, and `\l__marginalia_style_tl`, based on `\l__marginalia_marginno_computed_int`.

```

550 \cs_new:Npn\__marginalia_set_xsep_width_style_mark:
551 {
552   \int_case:nn{\l__marginalia_marginno_computed_int}
553   {
554     {0}
555     {
556       \cs_set_eq:NN\l__marginalia_xsep_dim
557         \l__marginalia_xsep_recto_outer_dim
558       \cs_set_eq:NN\l__marginalia_width_dim
559         \l__marginalia_width_recto_outer_dim
560       \cs_set_eq:NN\l__marginalia_style_tl
561         \l__marginalia_style_recto_outer_tl
562       \cs_set_eq:NN\l__marginalia_mark_tl
563         \l__marginalia_mark_recto_outer_tl
564     }
565     {1}
566     {
567       \cs_set_eq:NN\l__marginalia_xsep_dim
568         \l__marginalia_xsep_recto_inner_dim
569       \cs_set_eq:NN\l__marginalia_width_dim
570         \l__marginalia_width_recto_inner_dim
571       \cs_set_eq:NN\l__marginalia_style_tl
572         \l__marginalia_style_recto_inner_tl
573       \cs_set_eq:NN\l__marginalia_mark_tl
574         \l__marginalia_mark_recto_inner_tl
575     }
576     {2}
577     {
578       \cs_set_eq:NN\l__marginalia_xsep_dim
579         \l__marginalia_xsep_verso_outer_dim
580       \cs_set_eq:NN\l__marginalia_width_dim
581         \l__marginalia_width_verso_outer_dim
582       \cs_set_eq:NN\l__marginalia_style_tl
583         \l__marginalia_style_verso_outer_tl
584       \cs_set_eq:NN\l__marginalia_mark_tl
585         \l__marginalia_mark_verso_outer_tl
586     }
587     {3}
588     {
589       \cs_set_eq:NN\l__marginalia_xsep_dim
590         \l__marginalia_xsep_verso_inner_dim
591       \cs_set_eq:NN\l__marginalia_width_dim
592         \l__marginalia_width_verso_inner_dim
593       \cs_set_eq:NN\l__marginalia_style_tl
594         \l__marginalia_style_verso_inner_tl
595       \cs_set_eq:NN\l__marginalia_mark_tl
596         \l__marginalia_mark_verso_inner_tl
597     }
598     {4}
599     {
600       \cs_set_eq:NN\l__marginalia_xsep_dim
601         \l__marginalia_xsep_right_between_dim
602       \cs_set_eq:NN\l__marginalia_width_dim
603         \l__marginalia_width_right_between_dim

```

```

604     \cs_set_eq:NN\l__marginalia_style_tl
605     \l__marginalia_style_right_between_tl
606     \cs_set_eq:NN\l__marginalia_mark_tl
607     \l__marginalia_mark_right_between_tl
608   }
609   {5}
610   {
611     \cs_set_eq:NN\l__marginalia_xsep_dim
612     \l__marginalia_xsep_left_between_dim
613     \cs_set_eq:NN\l__marginalia_width_dim
614     \l__marginalia_width_left_between_dim
615     \cs_set_eq:NN\l__marginalia_style_tl
616     \l__marginalia_style_left_between_tl
617     \cs_set_eq:NN\l__marginalia_mark_tl
618     \l__marginalia_mark_left_between_tl
619   }
620 }
621 }

```

(End of definition for `\__marginalia_set_xsep_width_style_mark:.`)

#### 11.9.4 Auxiliary box macros

`\__marginalia_vbox_set_center:Nn` Typesets the second parameter at natural height and stores the result inside a box register supplied as the first parameter, with the baseline being mid-way between the top and bottom of the box.

```

622 \cs_new:Npn \vbox_set_center:Nn #1#2
623 {
624   \vbox_set_top:Nn #1{#2}
625   \dim_set:Nn \l_tmpa_dim{ \box_ht:N#1 + \box_dp:N#1 }
626   \box_set_ht:Nn #1 { .5\l_tmpa_dim }
627   \box_set_dp:Nn #1 { .5\l_tmpa_dim }
628 }

```

(End of definition for `\__marginalia_vbox_set_center:Nn`.)

`\__marginalia_vbox_set_midway:Nn` Typesets the second parameter at natural height and stores the result inside a box register supplied as the first parameter, with the baseline being mid-way between the top and bottom baselines of the items in the box.

```

629 \cs_new:Npn \vbox_set_midway:Nn #1#2
630 {

```

The distance between the topmost and bottommost baselines is equal to the difference in depths between the results of typesetting using a `\vtop` and a `\vbox`. So typeset into both (suspending tagging for the latter), calculate the difference, and adjust the height and depth of the first.

```

631   \vbox_set_top:Nn #1{#2}
632   \tag_suspend:n{ marginalia }
633   \vbox_set:Nn \l_tmpa_box {#2}
634   \tag_resume:n{ marginalia }
635   \dim_set:Nn \l_tmpa_dim{ \box_dp:N#1 - \box_dp:N\l_tmpa_box}
636   \box_set_ht:Nn #1 { \box_ht:N#1 + .5\l_tmpa_dim }
637   \box_set_dp:Nn #1 { \box_dp:N#1 - .5\l_tmpa_dim }
638 }

```

(End of definition for `\__marginalia_vbox_set_midway:Nn`.)

### 11.9.5 Placement macros

`\_marginalia_place_item_box:` Place the item that has been set in `\l\_marginalia_item_box`, vertically shifted by `\l\_marginalia_yshift_computed_dim` and `\smashed` to avoid altering vertical spacing in the main text.

```

639 \cs_new:Npn\_marginalia_place_item_box:
640   {
641     \smash
642     {
643       \box_move_up:nn{\l\_marginalia_yshift_computed_dim}
644       {
645         \box_use:N\l\_marginalia_item_box
646       }
647     }
648   }

```

*(End of definition for `\_marginalia_place_item_box:.`)*

`\_marginalia_typeset_mmode:n`  
`\_marginalia_typeset_hmode:n`  
`\_marginalia_typeset_vmode:n` These three macros handle typesetting in math mode, horizontal mode, and vertical mode. Nothing special needs to be done in math mode. In horizontal mode, `\@bsphack... \@esphack` avoids double spacing. In vertical mode, `\if@nobreak` is saved, a new paragraph is started, the item is typeset, the paragraph is ended, a vertical skip of `-\baselineskip` is added, which should ‘hide’ that invisible paragraph, and `\if@nobreak` is restored to the saved value.

```

649 \cs_new:Npn\_marginalia_typeset_mmode:n #1
650   {
651     #1
652   }
653 \cs_new:Npn\_marginalia_typeset_hmode:n #1
654   {
655     \@bsphack
656     #1
657     \@esphack
658   }
659 \bool_new:N\l\_marginalia_nobreak_bool
660 \cs_new:Npn\_marginalia_typeset_vmode:n #1
661   {
662     \bool_set:Nn\l\_marginalia_nobreak_bool{ \legacy_if_p:n{@nobreak} }
663     \nobreak\noindent #1\par
664     \skip_vertical:n{-\baselineskip}
665     \legacy_if_gset:nn{ @nobreak }{ \l\_marginalia_nobreak_bool }
666   }

```

*(End of definition for `\_marginalia_typeset_mmode:n`, `\_marginalia_typeset_hmode:n`, and `\_marginalia_typeset_vmode:n`.)*

### 11.10 User commands

Finally, set up the commands for the user.

`\marginalia` This is the main user command for creating a marginal content item. This macro does nothing but hand off to `\_marginalia_process_item:nn`.

```

667 \NewDocumentCommand{\marginalia}{ 0{} +m }
668   {

```

```

669     \__marginalia_process_item:nn{#1}{#2}
670 }

```

(End of definition for `\marginalia`. This function is documented on page 6.)

`\marginaliasetup` The user command to set the configuration. This macro does nothing but hand off to `\__marginalia_setup:n`.

```

671 \NewDocumentCommand{\marginaliasetup}{ m }
672 {
673   \__marginalia_setup:n{ #1 }
674 }

```

(End of definition for `\marginaliasetup`. This function is documented on page 6.)

`\marginalianewgeometry` The user command to signal that the page geometry has been changed.

```

675 \NewDocumentCommand{\marginalianewgeometry}{}
676 {
677   \__marginalia_write_page_data:
678 }

```

(End of definition for `\marginalianewgeometry`. This function is documented on page 6.)

```

679 </package>

```

## 12 Implementation (Lua backend)

```

680 <*lua>

```

### 12.1 Global variables

Global tables for `page_data` and `item_data`.

```

681 local PAGE_DATA_MAIN_TABLE = {}
682 local ITEM_DATA_MAIN_TABLE = {}

```

Global tables for compiling reports.

```

683 local PROBLEM_REPORT_TABLE = {}
684 local PAGE_CHANGE_REPORT_TABLE = {}
685 local ITEM_CHANGE_REPORT_TABLE = {}

```

Global configuration for reports.

```

686 local PROBLEM_REPORT_MAX_LENGTH = 40
687 local PAGE_CHANGE_REPORT_MAX_LENGTH = 10
688 local ITEM_CHANGE_REPORT_MAX_LENGTH = 10

```

### 12.2 Constants

Type constants. These match the possible values for the type key.

```

689 local TYPE_NORMAL = 1
690 local TYPE_FIXED = 2
691 local TYPE_OPTFIXED = 3

```

Position constants. These match the possible values for the pos key.

```

692 local POS_AUTO = 1
693 local POS_REVERSE = 2
694 local POS_LEFT = 3
695 local POS_RIGHT = 4
696 local POS_NEAREST = 5

```

## 12.3 Keys for tables

The strings listed in this subsection are constants used to index the tables. Also listed are the types of values that are indexed by each key. Note that values listed below as `dimensions` are actually integers, giving the dimension in  $\text{T}_{\text{E}}\text{X}$  scaled points (sp)

### 12.3.1 Keys for both page and item data tables

Integer: Absolute page number in output file (not on-page number), used in both `page_data` and `item_data` tables

```
697 local KEY_ABSPAGENO = 'abspageno'
```

Boolean: Used to mark `page_data` or `item_data` as checked when the `.aux` file is read back at the end of the document

```
698 local KEY_CHECKED = 'checked'
```

### 12.3.2 Keys for page data tables, layout etc.

Integer: Used only to distinguish instances of data written to `.aux` file

```
699 local KEY_PAGEDATANO = 'pagedatano'
```

Dimensions: Value of next two will always be equivalent of 1 in, but it is simpler to keep all geometry data together.

```
700 local KEY_HOFFSETORIGIN = 'hoffsetorigin'
```

```
701 local KEY_VOFFSETORIGIN = 'voffsetorigin'
```

Dimensions: corresponding to obvious  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$  dimensions

```
702 local KEY_HOFFSET = 'hoffset'
```

```
703 local KEY_VOFFSET = 'voffset'
```

```
704 local KEY_PAGEHEIGHT = 'pageheight'
```

```
705 local KEY_ODDSIDEMARGIN = 'oddsidemargin'
```

```
706 local KEY_EVENSIDEMARGIN = 'evensidemargin'
```

```
707 local KEY_TEXTWIDTH = 'textwidth'
```

```
708 local KEY_COLUMNWIDTH = 'columnwidth'
```

```
709 local KEY_COLUMNSEP = 'columnsep'
```

Integer: either 1 or 2, depending on whether  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$  was in one- or two-column mode

```
710 local KEY_COLUMNCOUNT = 'columncount'
```

Boolean: true iff  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$  is in twoside mode

```
711 local KEY_TWOSIDE = 'twoside'
```

### 12.3.3 Keys for item data tables

Integer: Used to identify data with item

```
712 local KEY_ITEMNO = 'itemno'
```

Integer: On-page number

```
713 local KEY_PAGENO = 'pageno'
```

Dimensions:  $x$  and  $y$  positions of call to `\marginalia`

```
714 local KEY_XPOS = 'xpos'
```

```
715 local KEY_YPOS = 'ypos'
```

Dimensions: Height and depth of typeset item

```
716 local KEY_HEIGHT = 'height'  
717 local KEY_DEPTH = 'depth'
```

Integer: Specified type, following TYPE\_\*

```
718 local KEY_TYPE = 'type'
```

Integer: corresponds to value of pos key: 0 = auto, 1 = reverse, 2 = left, 3 = right, 4 = nearest

```
719 local KEY_POS = 'pos'
```

Integer: corresponds to value of column key: -1 = auto, 0 = one, 1 = left, 2 = right

```
720 local KEY_COLUMN = 'column'
```

Dimension: specified vertical shift

```
721 local KEY_YSHIFT = 'yshift'
```

Dimensions: specified vertical separations

```
722 local KEY_YSEP_ABOVE = 'ysep above'  
723 local KEY_YSEP_BELOW = 'ysep below'  
724 local KEY_YSEP_PAGE_TOP = 'ysep page top'  
725 local KEY_YSEP_PAGE_BOTTOM = 'ysep page bottom'
```

The preceding keys refer to values that will be supplied from L<sup>A</sup>T<sub>E</sub>X. The remaining values will be computed in Lua and passed back to L<sup>A</sup>T<sub>E</sub>X.

Integer: column in which the call to `\marginalia` was located: 0 = one-column, 1 = left, 2 = right

```
726 local KEY_COLNO_COMPUTED = 'colno computed'
```

Dimension: Horizontal shift between the call to `\marginalia` and the margin in which the item should be located

```
727 local KEY_XSHIFT_COMPUTED = 'xshift computed'
```

Dimension: Computed vertical shift

```
728 local KEY_YSHIFT_COMPUTED = 'yshift computed'
```

Integer: Side of text on which the item will appear: 0 = right, 1 = left

```
729 local KEY_SIDE_COMPUTED = 'side computed'
```

Integer: Number of margin in which the item will appear, 0 = recto outer, 1 = recto inner, 2 = verso outer, 3 = verso inner, 4 = right between, 5 = left between

```
730 local KEY_MARGINNO_COMPUTED = 'marginno computed'
```

Boolean: Whether the item will actually appear on the page

```
731 local KEY_ENABLED_COMPUTED = 'enabled computed'
```



## 12.4 Utility functions

list\_filter  
12 Code adapted from  
<https://stackoverflow.com/a/53038524/8990243>.

Take a list `t` and remove from it any elements for which the function `f` does not return true. (The index `j` is always the destination index to which a 'keep' element is moved.)<sup>12</sup>

```
732 local function list_filter(t, f)
733   local j = 1
734   local n = #t
735
736   for i=1,n do
737     if (f(t[i])) then
738       if (i ~= j) then
739         t[j] = t[i]
740         t[i] = nil
741       end
742       j = j + 1
743     else
744       t[i] = nil
745     end
746   end
747
748 end
```

*(End of definition for list\_filter.)*

list\_filter Return boolean true iff `s` is exactly the string 'true'.

```
749 local function toboclean(s)
750   return s == "true"
751 end
```

*(End of definition for list\_filter.)*

get\_data\_page\_number Take a item or page data and return a human-readable string indicating the page to which the data pertains.

```
752 local function get_data_page_number(data)
753   local pageno = data[KEY_PAGENO]
754   if pageno ~= nil then
755     return 'p' .. pageno .. ' (' .. data[KEY_ABSPAGENO] .. ')'
756   else
757     return data[KEY_ABSPAGENO]
758   end
759 end
```

*(End of definition for get\_data\_page\_number.)*

## 12.5 Generic page/item data functions

parse\_data Parse `keyvalue_string` and return the corresponding data as a table. The `keyvalue_string` is expected to be of precisely the kind written to the `.aux` file as the parameter of `\marginalia@pagedata` or `\marginalia@notedata`.

Ignore any keys in `keyvalue_string` that are not listed in `conversion_table`. Fill in any missing value with values from `defaults_table`.

`conversion_table` is indexed by possible keys, with values equal to functions to convert the corresponding value string to the value that should appear in the returned table.

`defaults_table` is indexed by keys that *will* appear in the returned table, using the corresponding value unless it was given in `keyvalue_string` and the key appeared in `conversion_table`.

```

760 local function parse_data(keyvalue_string,conversion_table,defaults_table)
761
762     local key
763     local value
764     local result = {}
765
766     for s in string.gmatch(keyvalue_string,'([^\,]+)') do
767
768         key,value = string.match(s,'^(.+)=(.)$')
769         local conv = conversion_table[key]
770         if conv ~= nil then
771             result[key] = conv(value)
772         end
773
774     end
775
776     for key,value in pairs(defaults_table) do
777         if not(result[key] ~= nil) then
778             result[key] = value
779         end
780     end
781
782     return result
783
784 end

```

*(End of definition for parse\_data.)*

`check_data` Check `keyvalue_string` against stored data. If it is new or has changed, append a report to `report_table`. Set the `KEY_CHECKED` of the data item to true.

The `keyvalue_string` is processed using `conversion_table` and `defaults_table` as per the `parse_data` function. The resulting table is compared to the table in `data_table` with the same value whose key is `data_table_key`. The tables are compared using the fields indexed by keys in `conversion_table`.

```

785 local function check_data(keyvalue_string,conversion_table,defaults_table,
786                           data_table,data_table_key_field,report_table)
787
788     local new_data = parse_data(keyvalue_string,
789                                 conversion_table,defaults_table)
790
791     local data_table_key = new_data[data_table_key_field]
792
793     local stored_data = data_table[data_table_key]
794     if stored_data == nil then
795         table.insert(
796             report_table,
797             get_data_page_number(new_data) .. ' New'
798         )
799     else
800         local change_report = ''

```

```

801     for k,_ in pairs(conversion_table) do
802         if stored_data[k] ~= new_data[k] then
803             change_report = change_report
804             .. ' ' .. k .. ':' ..
805             tostring(stored_data[k]) .. '->' .. tostring(new_data[k])
806         end
807     end
808     if change_report ~= '' then
809         table.insert(
810             report_table,
811             get_data_page_number(new_data) .. ' ' .. change_report
812         )
813     end
814     stored_data[KEY_CHECKED] = true
815 end
816
817 end

```

*(End of definition for check\_data.)*

`check_removed_data` Check whether data have been removed from `data_table`, which corresponds to some entry having the value of `KEY_CHECKED` being false. In this case, append a report to `report_table`.

```

818 local function check_removed_data(data_table,report_table)
819     for _,data in pairs(data_table) do
820         if not data[KEY_CHECKED] then
821             table.insert(
822                 report_table,
823                 ' Removed'
824             )
825             break
826         end
827     end
828 end

```

*(End of definition for check\_removed\_data.)*

## 12.6 Processing of page data from .aux file

Conversion and default tables.

```

829 local PAGE_DATA_CONVERSION_TABLE = {
830     [KEY_PAGEDATANO] = tonumber,
831     [KEY_ABSPAGENO] = tonumber,
832     [KEY_HOFFSETORIGIN] = tonumber,
833     [KEY_VOFFSETORIGIN] = tonumber,
834     [KEY_HOFFSET] = tonumber,
835     [KEY_VOFFSET] = tonumber,
836     [KEY_PAGEHEIGHT] = tonumber,
837     [KEY_ODDSIDEMARGIN] = tonumber,
838     [KEY_EVENSIDEMARGIN] = tonumber,
839     [KEY_COLUMNCOUNT] = tonumber,
840     [KEY_COLUMNWIDTH] = tonumber,
841     [KEY_COLUMNSEP] = tonumber,
842     [KEY_TEXTWIDTH] = tonumber,

```

```

843 [KEY_TWOSIDE] = toboolean,
844 }
845 local PAGE_DATA_DEFAULT_TABLE = {
846 [KEY_PAGEDATANO] = 0,
847 [KEY_A BSPAGENO] = 0,
848 [KEY_HOFFSETORIGIN] = tex.sp('1in'),
849 [KEY_VOFFSETORIGIN] = tex.sp('1in'),
850 [KEY_HOFFSET] = tex.dimen['hoffset'],
851 [KEY_VOFFSET] = tex.dimen['voffset'],
852 [KEY_PAGEHEIGHT] = tex.dimen['pageheight'],
853 [KEY_ODDSIDEMARGIN] = tex.dimen['oddsidemargin'],
854 [KEY_EVENSIDEMARGIN] = tex.dimen['evensidemargin'],
855 [KEY_TEXTWIDTH] = tex.dimen['textwidth'],
856 [KEY_COLUMNWIDTH] = tex.dimen['columnwidth'],
857 [KEY_COLUMNSEP] = tex.dimen['columnsep'],
858 [KEY_COLUMNCOUNT] = 1,
859 [KEY_TWOSIDE] = false,
860 [KEY_CHECKED] = false,
861 }

```

store\_page\_data Store page data supplied by keyvalue\_string in PAGE\_DATA\_MAIN\_TABLE.

```

862 local function store_page_data(keyvalue_string)
863
864 local page_data = parse_data(keyvalue_string,
865 PAGE_DATA_CONVERSION_TABLE,
866 PAGE_DATA_DEFAULT_TABLE)
867
868 PAGE_DATA_MAIN_TABLE[page_data[KEY_PAGEDATANO]] = page_data
869
870 end

```

*(End of definition for store\_page\_data.)*

store\_default\_page\_data Store default page data in PAGE\_DATA\_MAIN\_TABLE, so that there is some data to work with when computing item positions, even on a first run, when no page data has been written to the .aux file.

```

871 local function store_default_page_data()
872
873 default_page_data = parse_data('',
874 PAGE_DATA_CONVERSION_TABLE,
875 PAGE_DATA_DEFAULT_TABLE)
876
877 default_page_data[KEY_A BSPAGENO] = 1
878 default_page_data[KEY_CHECKED] = true
879
880 PAGE_DATA_MAIN_TABLE[0] = default_page_data
881
882 end

```

*(End of definition for store\_default\_page\_data.)*

check\_page\_data Check whether page\_data supplied by keyvalue\_string differs from that in PAGE\_DATA\_MAIN\_TABLE, appending reports to PAGE\_CHANGE\_REPORT\_TABLE if so.

```

883 local function check_page_data(keyvalue_string)

```

```

884
885   check_data(keyvalue_string,
886             PAGE_DATA_CONVERSION_TABLE,PAGE_DATA_DEFAULT_TABLE,
887             PAGE_DATA_MAIN_TABLE,KEY_PAGEDATANO,
888             PAGE_CHANGE_REPORT_TABLE)
889
890 end

```

*(End of definition for check\_page\_data.)*

## 12.7 Processing of item data from .aux file

Conversion and default tables.

```

891 local ITEM_DATA_CONVERSIONS = {
892   [KEY_ITEMNO] = tonumber,
893   [KEY_ABSPAGENO] = tonumber,
894   [KEY_PAGENO] = tonumber,
895   [KEY_XPOS] = tonumber,
896   [KEY_YPOS] = tonumber,
897   [KEY_HEIGHT] = tonumber,
898   [KEY_DEPTH] = tonumber,
899   [KEY_TYPE] = tonumber,
900   [KEY_POS] = tonumber,
901   [KEY_COLUMN] = tonumber,
902   [KEY_YSHIFT] = tonumber,
903   [KEY_YSEP_ABOVE] = tonumber,
904   [KEY_YSEP_BELOW] = tonumber,
905   [KEY_YSEP_PAGE_TOP] = tonumber,
906   [KEY_YSEP_PAGE_BOTTOM] = tonumber,
907   [KEY_CHECKED] = toboolean,
908 }
909 local ITEM_DATA_DEFAULTS = {
910   [KEY_ITEMNO] = 0,
911   [KEY_ABSPAGENO] = 1,
912   [KEY_PAGENO] = 1,
913   [KEY_XPOS] = 0,
914   [KEY_YPOS] = 0,
915   [KEY_HEIGHT] = 0,
916   [KEY_DEPTH] = 0,
917   [KEY_TYPE] = 0,
918   [KEY_POS] = 0,
919   [KEY_COLUMN] = -1,
920   [KEY_YSHIFT] = 0,
921   [KEY_YSEP_ABOVE] = tex.dimen['marginparpush'],
922   [KEY_YSEP_BELOW] = tex.dimen['marginparpush'],
923   [KEY_YSEP_PAGE_TOP] = tex.dimen['marginparpush'],
924   [KEY_YSEP_PAGE_BOTTOM] = tex.dimen['marginparpush'],
925   [KEY_COLNO_COMPUTED] = 0,
926   [KEY_XSHIFT_COMPUTED] = 0,
927   [KEY_YSHIFT_COMPUTED] = 0,
928   [KEY_SIDE_COMPUTED] = 0,
929   [KEY_MARGINNO_COMPUTED] = 0,
930   [KEY_ENABLED_COMPUTED] = true,
931   [KEY_CHECKED] = false,

```

```
932 }
```

ITEM\_DATA\_DEFAULTS is also used by `load_item_data` when no stored item data is found in ITEM\_DATA\_MAIN\_TABLE.

`store_item_data` Store item\_data supplied by `keyvalue_string` in ITEM\_DATA\_MAIN\_TABLE.

```
933 local function store_item_data(keyvalue_string)
934
935     local item = parse_data(keyvalue_string,
936                             ITEM_DATA_CONVERSIONS,
937                             ITEM_DATA_DEFAULTS)
938
939     ITEM_DATA_MAIN_TABLE[item[KEY_ITEMNO]] = item
940
941 end
```

*(End of definition for store\_item\_data.)*

`check_item_data` Check whether item\_data supplied by `keyvalue_string` differs from that in ITEM\_DATA\_MAIN\_TABLE, appending reports to ITEM\_CHANGE\_REPORT\_TABLE if so.

```
942 local function check_item_data(keyvalue_string)
943
944     check_data(keyvalue_string,
945                ITEM_DATA_CONVERSIONS, ITEM_DATA_DEFAULTS,
946                ITEM_DATA_MAIN_TABLE, KEY_ITEMNO,
947                ITEM_CHANGE_REPORT_TABLE)
948
949 end
```

*(End of definition for check\_item\_data.)*

## 12.8 Writing reports

`write_report` Write the data contained in `report_table` to  $\TeX$  in a format suitable for a package warning. The written text will contain at most `max_length` items.

```
950 local function write_report(report_table,max_length,noun)
951
952     if #report_table > 0 then
953         local report_text
954         local report_length
955
956         if #report_table <= max_length then
957             report_length = #report_table
958             report_text = ' Here are the ' .. noun .. ':\n'
959         else
960             report_length = max_length
961             report_text = ' Here are the first ' .. report_length .. ' ' .. noun .. ':\n'
962         end
963
964         for i=1,report_length do
965             report_text = report_text .. report_table[i]
966             if i < report_length then
967                 report_text = report_text .. '\n'
968             end
969         end
970     end
```

```

969     end
970
971     tex.print(report_text)
972 end
973
974 end

```

*(End of definition for write\_report.)*

`write_problem_report` Write a report about placement problems to  $\TeX$  in a format suitable for a package warning.

```

975 local function write_problem_report()
976
977     write_report(PROBLEM_REPORT_TABLE,PROBLEM_REPORT_MAX_LENGTH,'problems')
978
979 end

```

*(End of definition for write\_problem\_report.)*

`write_item_change_report` Write a report about changes in item data to  $\TeX$  in a format suitable for a package warning.

```

980 local function write_item_change_report()
981
982     check_removed_data(ITEM_DATA_MAIN_TABLE,ITEM_CHANGE_REPORT_TABLE)
983     write_report(ITEM_CHANGE_REPORT_TABLE,ITEM_CHANGE_REPORT_MAX_LENGTH,'changes')
984
985 end

```

*(End of definition for write\_item\_change\_report.)*

`write_page_change_report` Write a report about changes in page data to  $\TeX$  in a format suitable for a package warning.

```

986 local function write_page_change_report()
987
988     check_removed_data(PAGE_DATA_MAIN_TABLE,PAGE_CHANGE_REPORT_TABLE)
989     write_report(PAGE_CHANGE_REPORT_TABLE,PAGE_CHANGE_REPORT_MAX_LENGTH,'changes')
990
991 end

```

*(End of definition for write\_page\_change\_report.)*

## 12.9 Computing horizontal positions

It is necessary to determine whether an item should be placed on the right or left of the text block, and in which column it lies. The following lookup tables are used.

The value found in `RIGHTSIDE_LOOKUP_TABLE` is either `true` (right) or `false` (left). It is indexed by whether the item is on a recto page (`true/false`), whether it pertains to single-column text, the left column, or the right column (`0/1/2`), and the value of `pos` being either `auto` or `reverse`.

```

992 local RIGHTSIDE_LOOKUP_TABLE = {
993     [true] = {
994         [0] = {
995             [POS_AUTO] = true,
996             [POS_REVERSE] = false,

```

```

997     },
998     [1] = {
999         [POS_AUTO] = false,
1000         [POS_REVERSE] = true,
1001     },
1002     [2] = {
1003         [POS_AUTO] = true,
1004         [POS_REVERSE] = false,
1005     },
1006 },
1007 [false] = {
1008     [0] = {
1009         [POS_AUTO] = false,
1010         [POS_REVERSE] = true,
1011     },
1012     [1] = {
1013         [POS_AUTO] = true,
1014         [POS_REVERSE] = false,
1015     },
1016     [2] = {
1017         [POS_AUTO] = false,
1018         [POS_REVERSE] = true,
1019     },
1020 },
1021 }

```

The value found in MARGINNO\_LOOKUP\_TABLE ranges from 0 to 5 (see KEY\_MARGINNO\_COMPUTED for the meaning of these values). It is indexed by whether the item is on a recto page (true/false), whether it pertains to single-column text, the left column, or the right column (0/1/2), and whether it is to be placed on the right of the text block (true/false).

```

1022 local MARGINNO_LOOKUP_TABLE = {
1023     [true] = {
1024         [0] = {
1025             [false] = 1,
1026             [true] = 0,
1027         },
1028         [1] = {
1029             [false] = 1,
1030             [true] = 5,
1031         },
1032         [2] = {
1033             [false] = 4,
1034             [true] = 0,
1035         },
1036     },
1037     [false] = {
1038         [0] = {
1039             [false] = 2,
1040             [true] = 3,
1041         },
1042         [1] = {
1043             [false] = 2,
1044             [true] = 5,

```



```

1045     },
1046     [2] = {
1047         [false] = 4,
1048         [true] = 3,
1049     },
1050 },
1051 }

```

`compute_items_horizontal` For every `item_data` in `item_data_list`, compute the fields relevant to horizontal positioning, namely `KEY_COLNO_COMPUTED`, `KEY_XSHIFT_COMPUTED`, `KEY_SIDE_COMPUTED`, based on the layout information in `page_data`. Every item described in `item_data_list` is assumed to be on the same page.

```

1052 local function compute_items_horizontal(item_data_list,page_data)

```

Immediately return if `item_data_list` is empty, to avoid edge cases.

```

1053 if #item_data_list == 0 then
1054     return
1055 end

```

Information used frequently and which is the same for every item.

```

1056 local pageno = item_data_list[1][KEY_PAGENO]
1057 local twoside = page_data[KEY_TWOSIDE]
1058 local recto = ((pageno % 2) == 1) or (not twoside)
1059 local columncount = page_data[KEY_COLUMNCOUNT]

```

Tables to contain the  $x$ -coordinates of left edge, right edge, and middle of the current text, whether a single column (index 0), the left column (index 1), or the right column (index 2).

```

1060 local x_textleft = {}
1061 local x_textright = {}
1062 local x_textmiddle = {}

```

First, compute necessary dimensions for single-column text, since most of these calculations would be used anyway for two-column text. The terms used in calculating `x_textleft[0]` respectively take one to the origin of `\hoffset`, to the origin of `\oddsidemargin` and `\evensidemargin`, and to the left-hand side of the text block.

```

1063 if recto then
1064     x_textleft[0] = (
1065         page_data[KEY_HOFFSETORIGIN]
1066         + page_data[KEY_HOFFSET]
1067         + page_data[KEY_ODDSIDEMARGIN]
1068     )
1069     x_textright[0] = (
1070         x_textleft[0]
1071         + page_data[KEY_TEXTWIDTH]
1072     )
1073 else
1074     x_textleft[0] = (
1075         page_data[KEY_HOFFSETORIGIN]
1076         + page_data[KEY_HOFFSET]
1077         + page_data[KEY_EVENSIDEMARGIN]
1078     )
1079     x_textright[0] = (
1080         x_textleft[0]
1081         + page_data[KEY_TEXTWIDTH]

```

```

1082     )
1083 end
1084 x_textmiddle[0] = (x_textleft[0] + x_textright[0])/2
1085
1086
1087 if columncount == 1 then

```

If the page is one-column, the field KEY\_COLNO\_COMPUTED can be set immediately for every item\_data.

```

1088     for i=1,#item_data_list do
1089         item_data_list[i][KEY_COLNO_COMPUTED] = 0
1090     end
1091 else

```

If the page is two-column, calculate the *x*-coordinates of the left and right edges and the mid-point of each column.

```

1092     x_textleft[1] = x_textleft[0]
1093     x_textright[1] = (
1094         x_textleft[1]
1095         + page_data[KEY_COLUMNWIDTH]
1096     )
1097     x_textmiddle[1] = (x_textleft[1] + x_textright[1])/2
1098
1099     x_textleft[2] = (
1100         x_textright[1]
1101         + page_data[KEY_COLUMNSEP]
1102     )
1103     x_textright[2] = (
1104         x_textleft[2]
1105         + page_data[KEY_COLUMNWIDTH]
1106     )
1107     x_textmiddle[2] = (x_textleft[2] + x_textright[2])/2
1108

```

Calculate the cut-off (mid-way between the columns) that distinguishes items from left and right columns.

```

1109     local left_column_x_limit = (
1110         x_textright[1]
1111         + .5*page_data[KEY_COLUMNSEP]
1112     )

```

Now set the field KEY\_COLNO\_COMPUTED for each item.

```

1113     for i=1,#item_data_list do
1114         local item_data = item_data_list[i]
1115
1116         if item_data[KEY_COLUMN] >= 0 then
1117             item_data[KEY_COLNO_COMPUTED] = item_data[KEY_COLUMN]
1118         else
1119             if item_data[KEY_XPOS] <= left_column_x_limit then
1120                 item_data[KEY_COLNO_COMPUTED] = 1
1121             else
1122                 item_data[KEY_COLNO_COMPUTED] = 2
1123             end
1124         end
1125     end

```

```

1126
1127 end

```

For every item\_data in item\_data\_list, compute and set the fields KEY\_SIDE\_COMPUTED, KEY\_XSHIFT\_COMPUTED, and KEY\_MARGINNO\_COMPUTED.

```

1128 for i=1,#item_data_list do
1129     local item = item_data_list[i]
1130
1131     local pos = item[KEY_POS]
1132     local colnocomputed = item[KEY_COLNO_COMPUTED]
1133
1134     if pos == POS_LEFT then
1135         rightside = false
1136     elseif pos == POS_RIGHT then
1137         rightside = true
1138     elseif pos == POS_NEAREST then
1139         rightside = (item[KEY_XPOS] >= x_textmiddle[colnocomputed])
1140     else

```

pos must be POS\_AUTO or POS\_REVERSE

```

1141         rightside = RIGHTSIDE_LOOKUP_TABLE[recto][colnocomputed][pos]
1142     end
1143
1144     local marginno = MARGINNO_LOOKUP_TABLE[recto][colnocomputed][rightside]
1145
1146     if rightside then
1147         item[KEY_SIDE_COMPUTED] = 0
1148         item[KEY_XSHIFT_COMPUTED] = -item[KEY_XPOS]
1149                                         + x_textright[colnocomputed]
1150     else
1151         item[KEY_SIDE_COMPUTED] = 1
1152         item[KEY_XSHIFT_COMPUTED] = -item[KEY_XPOS]
1153                                         + x_textleft[colnocomputed]
1154     end
1155     item[KEY_MARGINNO_COMPUTED] = marginno
1156
1157 end
1158
1159 end

```

*(End of definition for compute\_items\_horizontal.)*

get\_y\_item\_top Return the y-coordinate of the top of the item described by item\_data.

```

1160 local function get_y_item_top(item_data)
1161     return item_data[KEY_YPOS]
1162         + item_data[KEY_YSHIFT_COMPUTED]
1163         + item_data[KEY_HEIGHT]
1164 end

```

*(End of definition for get\_y\_item\_top.)*

get\_y\_item\_bottom Return the y-coordinate of the bottom of the item described by item\_data.

```

1165 local function get_y_item_bottom(item_data)
1166     return item_data[KEY_YPOS]
1167         - item_data[KEY_DEPTH]

```

```

1168         + item_data[KEY_YSHIFT_COMPUTED]
1169     end

```

*(End of definition for get\_y\_item\_bottom.)*

`get_ysep_list` Calculate the separation to be used between adjacent marginal content items as described in `item_data_list`. The list is assumed to be sorted so that items are in the order they should appear on the page, top to bottom.

The idea is that we have the following arrangement for  $i = 1, \dots, \#item\_data\_list$ :

```

:
item_data_list[i]
  ysep_list[i]
item_data_list[i+1]
:

```

Also set `ysep_list[0]` and `ysep_list[#item_data_list]` to 0, to avoid checking when these values are accessed (although they are not used).

```

1170 local function get_ysep_list(item_data_list)
1171
1172     local ysep_list = {}
1173
1174     ysep_list[0] = 0
1175     for i=1,#item_data_list-1 do
1176         ysep_list[i] = math.max(
1177             item_data_list[i][KEY_YSEP_BELOW],
1178             item_data_list[i+1][KEY_YSEP_ABOVE]
1179         )
1180     end
1181     ysep_list[#item_data_list] = 0
1182
1183     return ysep_list
1184
1185 end

```

*(End of definition for get\_ysep\_list.)*

## 12.10 Computing vertical positions

### 12.10.1 Computing optfixed enabled

`compute_items_vertical_optfixed_enabled` For every `item_data` in `item_data_list` describing an item of type `TYPE_OPTFIXED`, check for a clash with an item of type `TYPE_FIXED`. If so, set `item_data[KEY_ENABLED_COMPUTED]` to `false`. Every item described in `item_data_list` is assumed to be on the same page and to have `KEY_YSHIFT` set to the default.

```

1186 local function compute_items_vertical_optfixed_enabled(item_data_list)
1187
1188     local optfixed_item_data_list = {}
1189     local fixed_item_data_list = {}
1190
1191     for _,item_data in pairs(item_data_list) do
1192         if item_data[KEY_TYPE] == TYPE_OPTFIXED then
1193             optfixed_item_data_list[#optfixed_item_data_list+1] = item_data
1194         elseif item_data[KEY_TYPE] == TYPE_FIXED then

```

```

1195     fixed_item_data_list[#fixed_item_data_list+1] = item_data
1196   end
1197 end
1198
1199 for _,optfixed_item_data in pairs(optfixed_item_data_list) do
1200   local optfixed_y_item_top = get_y_item_top(optfixed_item_data)
1201   local optfixed_y_item_bottom = get_y_item_bottom(optfixed_item_data)
1202
1203   for _,fixed_item_data in pairs(fixed_item_data_list) do
1204     local fixed_y_item_top = get_y_item_top(fixed_item_data)
1205     local fixed_y_item_bottom = get_y_item_bottom(fixed_item_data)
1206
1207     if (
1208       (
1209         (fixed_y_item_bottom - optfixed_y_item_top)
1210         <
1211         math.max(
1212           fixed_item_data[KEY_YSEP_BELOW],
1213           optfixed_item_data[KEY_YSEP_ABOVE]
1214         )
1215       )
1216       and
1217       (
1218         (optfixed_y_item_bottom - fixed_y_item_top)
1219         <
1220         math.max(
1221           optfixed_item_data[KEY_YSEP_BELOW],
1222           fixed_item_data[KEY_YSEP_ABOVE]
1223         )
1224       )
1225     ) then
1226       optfixed_item_data[KEY_ENABLED_COMPUTED] = false
1227       break
1228     end
1229   end
1230 end
1231
1232 end

```

*(End of definition for compute\_items\_vertical\_optfixed\_enabled.)*

## 12.10.2 Computing vertical adjustment

compute\_items\_vertical\_adjustment

For every `item_data` in `item_data_list`, compute the field relevant to vertical positioning, namely `KEY_YSHIFT_COMPUTED`, based on the layout information in `page_data`. Every item described in `item_data_list` is assumed to be on the same page and to have `KEY_YSHIFT` set to the default, and the list is assumed to be sorted so that items are in the order they should appear on the page, top to bottom.

```

1233 local function compute_items_vertical_adjustment(item_data_list,page_data)

```

Immediately return if `item_data_list` is empty, to avoid edge cases

```

1234   if #item_data_list == 0 then
1235     return
1236   end

```

```

1237
1238 local ysep_list = get_ysep_list(item_data_list)

```

*First pass of computation (downward).* `y_limit_above` will always be the highest *y*-coordinate at which the top of next item below can appear.

```

1239 local y_limit_above = (
1240     page_data[KEY_VOFFSET]
1241     + page_data[KEY_PAGEHEIGHT]
1242     - item_data_list[1][KEY_YSEP_PAGE_TOP]
1243 )
1244
1245 for i=1,#item_data_list do
1246     local item_data = item_data_list[i]
1247
1248     local y_item_top = get_y_item_top(item_data)
1249
1250     if y_item_top > y_limit_above then
1251         if item_data[KEY_TYPE] == TYPE_NORMAL then
1252             item_data[KEY_YSHIFT_COMPUTED] = item_data[KEY_YSHIFT_COMPUTED]
1253                                             + (y_limit_above - y_item_top)
1254         end
1255     end
1256
1257     y_limit_above = get_y_item_bottom(item_data) - ysep_list[i]
1258 end

```

*Second pass of computation (upward).* `y_limit_below` will always be the lowest *y*-coordinate at which the bottom of next item above can appear.

```

1259 local y_limit_below = (
1260     page_data[KEY_VOFFSET]
1261     + item_data_list[#item_data_list][KEY_YSEP_PAGE_BOTTOM]
1262 )
1263
1264 for i=#item_data_list,1,-1 do
1265     local item_data = item_data_list[i]
1266
1267     local y_item_bottom = get_y_item_bottom(item_data)
1268
1269     if y_item_bottom < y_limit_below then
1270         if item_data[KEY_TYPE] == TYPE_NORMAL then
1271             item_data[KEY_YSHIFT_COMPUTED] = item_data[KEY_YSHIFT_COMPUTED]
1272                                             + (y_limit_below - y_item_bottom)
1273         end
1274     end
1275
1276     y_limit_below = get_y_item_top(item_data) + ysep_list[i-1]
1277 end
1278
1279 end

```

*(End of definition for compute\_items\_vertical\_adjustment.)*

### 12.10.3 Checking vertical adjustment

Messages to use when checking results of vertical adjustment.

```

1280 local ITEM_PASSED_YSEP_PAGE_TOP_MESSAGES = {
1281   [TYPE_NORMAL] = 'Moveable item > ysep page top',
1282   [TYPE_FIXED] = 'Topmost fixed item > ysep page top',
1283   [TYPE_OPTFIXED] = 'Topmost optfixed item > ysep page top',
1284 }
1285 local ITEM_CLASH_MESSAGES = {
1286   [TYPE_NORMAL] = {
1287     [TYPE_NORMAL] = 'moveable items'
1288     .. '(this shouldn\'t happen)',
1289     [TYPE_FIXED] = 'moveable item above fixed item',
1290     [TYPE_OPTFIXED] = 'moveable item above optfixed item',
1291   },
1292   [TYPE_FIXED] = {
1293     [TYPE_NORMAL] = 'moveable item below fixed item',
1294     [TYPE_FIXED] = 'fixed items',
1295     [TYPE_OPTFIXED] = 'fixed item above optfixed item '
1296     .. '(this shouldn\'t happen)',
1297   },
1298   [TYPE_OPTFIXED] = {
1299     [TYPE_NORMAL] = 'moveable items below optfixed item',
1300     [TYPE_FIXED] = 'fixed item below optfixed item '
1301     .. '(this shouldn\'t happen)',
1302     [TYPE_OPTFIXED] = 'optfixed items '
1303     .. '(this shouldn\'t happen)',
1304   },
1305 }
1306 local ITEM_PASSED_YSEP_PAGE_BOTTOM_MESSAGE = {
1307   [TYPE_NORMAL] = 'Moveable item < ysep page bottom',
1308   [TYPE_FIXED] = 'Bottommost fixed item < ysep page bottom',
1309   [TYPE_OPTFIXED] = 'Bottommost optfixed item < ysep page bottom',
1310 }

```

check\_items\_vertical For the items described by the item\_data in item\_data\_list, check whether any clash or fail to obey ysep page top or ysep page bottom. If so, write messages to PROBLEM\_REPORT\_TABLE.

```

1311 local function check_items_vertical(item_data_list,page_data)
Immediately return if item_data_list is empty, to avoid edge cases
1312   if (#item_data_list) == 0 then
1313     return
1314   end
1315
1316   local ysep_list = get_ysep_list(item_data_list)
1317
1318   local item_data
1319
If any item fails to obey ysep page top, the first one in the list does.
1320   item_data = item_data_list[1]
1321   if (
1322     get_y_item_top(item_data) > page_data[KEY_VOFFSET]
1323     + page_data[KEY_PAGEHEIGHT]
1324     - item_data[KEY_YSEP_PAGE_TOP]
1325   ) then
1326     table.insert(

```

```

1327     PROBLEM_REPORT_TABLE,
1328     get_data_page_number(item_data)
1329     .. ' ' .. ITEM_PASSED_YSEP_PAGE_TOP_MESSAGES[item_data[KEY_TYPE]]
1330 )
1331 end
1332
1333 for i=2,#item_data_list do
1334     local item_data = item_data_list[i]
1335     local prev_item_data = item_data_list[i-1]
1336     if (
1337         get_y_item_top(item_data) > get_y_item_bottom(prev_item_data)
1338             - ysep_list[i-1]
1339     ) then
1340         table.insert(
1341             PROBLEM_REPORT_TABLE,
1342             get_data_page_number(item_data)
1343             .. ' Clash: ' ..
1344             ITEM_CLASH_MESSAGES[prev_item_data[KEY_TYPE]][item_data[KEY_TYPE]]
1345         )
1346     end
1347 end

```

If any item fails to obey ysep page bottom, the last one in the list does.

```

1348     item_data = item_data_list[#item_data_list]
1349     if (
1350         get_y_item_bottom(item_data) < page_data[KEY_VOFFSET]
1351             + item_data[KEY_YSEP_PAGE_BOTTOM]
1352     ) then
1353         table.insert(
1354             PROBLEM_REPORT_TABLE,
1355             get_data_page_number(item_data)
1356             .. ' ' .. ITEM_PASSED_YSEP_PAGE_BOTTOM_MESSAGE[item_data[KEY_TYPE]]
1357         )
1358     end
1359
1360 end

```

*(End of definition for check\_items\_vertical.)*

#### 12.10.4 Core vertical position computation

`compute_items_vertical` For every `item_data` in `item_data_list`, compute the field relevant to vertical positioning, namely `KEY_YSHIFT_COMPUTED`, based on the layout information in `page_data`. This may involve setting the field `KEY_ENABLED_COMPUTED` to false. In such a case, the relevant `item_data` is removed from `item_data_list`.

```

1361 local function compute_items_vertical(item_data_list,page_data)

```

Set `KEY_YSHIFT_COMPUTED` of each `item_data` to the user-supplied value.

```

1362     for i=1,#item_data_list do
1363         local item_data = item_data_list[i]
1364
1365         item_data[KEY_YSHIFT_COMPUTED] = item_data[KEY_YSHIFT]
1366     end

```



Decide which items of type ITEM\_DATA\_OPTFIXED are to be disabled.

```
1367 compute_items_vertical_optfixed_enabled(item_data_list)
```

Strip any item\_data with KEY\_ENABLED\_COMPUTED set to false from item\_data\_list.

```
1368 list_filter(item_data_list,function(item_data)
1369     return item_data[KEY_ENABLED_COMPUTED]
1370 end)
```

Sort item\_data\_list according to the stored position from top to bottom and left to right on the page, resolving ties using KEY\_ITEMNO.

```
1371 table.sort(
1372     item_data_list,
1373     function(left,right)
1374         local y_diff = left[KEY_YPOS] - right[KEY_YPOS]
1375
1376         if y_diff > 0 then
1377             return true
1378         elseif y_diff < 0 then
1379             return false
1380         end
1381
1382         local x_diff = left[KEY_XPOS] - right[KEY_XPOS]
1383
1384         if x_diff < 0 then
1385             return true
1386         elseif x_diff > 0 then
1387             return false
1388         end
1389
1390         return (left[KEY_ITEMNO] < right[KEY_ITEMNO])
1391     end
1392 )
1393
1394 compute_items_vertical_adjustment(item_data_list,page_data)
1395
1396 check_items_vertical(item_data_list,page_data)
1397
1398 end
```

*(End of definition for compute\_items\_vertical.)*

compute\_items For every item represented in ITEM\_DATA\_MAIN\_TABLE, use the page\_data stored in PAGE\_DATA\_MAIN\_TABLE to compute the item\_data values necessary to place the item correctly on the page, namely those indexed by: KEY\_COLNO\_COMPUTED, KEY\_XSHIFT\_COMPUTED, KEY\_YSHIFT\_COMPUTED, KEY\_SIDE\_COMPUTED, KEY\_ENABLED\_COMPUTED.

```
1399 local function compute_items()
```

Compute the maximum abspageno, which will be the last page of the document on which a item appears.

```
1400     local max_abspageno = 0
1401
1402     for k,v in pairs(ITEM_DATA_MAIN_TABLE) do
1403         max_abspageno = math.max(v[KEY_A BSPAGENO],max_abspageno)
1404     end
```

`per_abbrevpage_item_data_list` will be a list indexed by absolute page numbers. Each entry will be a list (possibly empty) of `item_data` describing the items that appear on the corresponding page.

```
1405 local per_abbrevpage_item_data_list = {}
```

Prepare `per_abbrevpage_item_data_list` by making each entry an empty list, then fill it from `ITEM_DATA_MAIN_TABLE`.

```
1406 for i=1,max_abbrevpageno do
1407     per_abbrevpage_item_data_list[i] = {}
1408 end
1409 for _,item_data in pairs(ITEM_DATA_MAIN_TABLE) do
1410     local temp_table = per_abbrevpage_item_data_list[item_data[KEY_ABBSPAGENO]]
1411     temp_table[#temp_table+1] = item_data
1412 end
```

`per_abbrevpage_item_data_list` will be a list indexed by absolute page numbers. Each entry will be a `page_data` describing the corresponding page. Usually multiple entries will be the same `page_data`: in the loop, `pagedatano` will be the index of the last entry in `PAGE_DATA_MAIN_TABLE` with `KEY_ABBSPAGENO` value less than or equal to `abbrevpageno`. (There may be several such entries in `PAGE_DATA_MAIN_TABLE` because `\marginallianewgeometry` may have been called multiple times on the same page.) Note that `PAGE_DATA_MAIN_TABLE[0]` is available even if there was no data in the `.aux` file, because the defaults were stored by `store_default_page_data`.

```
1413 local per_abbrevpage_page_data_list = {}
1414 local pagedatano = 0
1415 for abbrevpageno = 1,max_abbrevpageno do
1416     while (
1417         PAGE_DATA_MAIN_TABLE[pagedatano+1] ~= nil
1418         and
1419         PAGE_DATA_MAIN_TABLE[pagedatano+1][KEY_ABBSPAGENO] == abbrevpageno
1420     ) do
1421         pagedatano = pagedatano+1
1422     end
1423     per_abbrevpage_page_data_list[abbrevpageno] = PAGE_DATA_MAIN_TABLE[pagedatano]
1424 end
```

Iterate through all pages and perform the necessary computations.

```
1425 for abbrevpageno=1,#per_abbrevpage_item_data_list do
1426     local current_page_data = per_abbrevpage_page_data_list[abbrevpageno]
1427     local current_page_item_data_list = per_abbrevpage_item_data_list[abbrevpageno]
```

First, compute the horizontal positions, which includes sorting items into columns in two-column mode.

```
1428     compute_items_horizontal(current_page_item_data_list,current_page_data)
```

Sort the items into sublists corresponding to the margins in which they are located.

```
1429     local current_page_item_data_sublists = {}
1430
1431     for i=0,5 do
1432         current_page_item_data_sublists[i] = {}
1433     end
1434
1435     for _,item_data in pairs(current_page_item_data_list) do
1436         table.insert(
```

```

1437         current_page_item_data_sublists[item_data[KEY_MARGINNO_COMPUTED]],
1438         item_data
1439     )
1440 end

```

Compute vertical positions for each sublist.

```

1441     for i=0,5 do
1442         compute_items_vertical(
1443             current_page_item_data_sublists[i],
1444             current_page_data
1445         )
1446     end
1447 end
1448 end

```

*(End of definition for compute\_items.)*

## 12.11 Passing item\_data back to L<sup>A</sup>T<sub>E</sub>X

`load_item_data` Set the relevant L<sup>A</sup>T<sub>E</sub>X counter and dimension variables to the values computed for `itemno`.

```

1449 local function load_item_data(itemno)
1450
1451     item = ITEM_DATA_MAIN_TABLE[tonumber(itemno)]
1452     if item == nil then
1453         item = ITEM_DATA_DEFAULTS
1454     end
1455
1456     tex.count['l__marginalia_page_int'] = item[KEY_PAGENO]
1457     tex.count['l__marginalia_column_computed_int'] = item[KEY_COLNO_COMPUTED]
1458     tex.dimen['l__marginalia_xshift_computed_dim'] = item[KEY_XSHIFT_COMPUTED]
1459     tex.dimen['l__marginalia_yshift_computed_dim'] = item[KEY_YSHIFT_COMPUTED]
1460     tex.count['l__marginalia_side_computed_int'] = item[KEY_SIDE_COMPUTED]
1461     tex.count['l__marginalia_marginno_computed_int']
1462         = item[KEY_MARGINNO_COMPUTED]
1463     if item[KEY_ENABLED_COMPUTED] then
1464         tex.count['l__marginalia_enabled_computed_int'] = 1
1465     else
1466         tex.count['l__marginalia_enabled_computed_int'] = 0
1467     end
1468
1469 end

```

*(End of definition for load\_item\_data.)*

## 12.12 Export public functions

Finally, make available the functions that will be called from L<sup>A</sup>T<sub>E</sub>X using `\lua_now:n` and `\lua_now:e`.

```

1470 return {
1471     store_default_page_data = store_default_page_data,
1472     store_page_data = store_page_data,
1473     check_page_data = check_page_data,
1474 }

```

```
1475 store_item_data = store_item_data,  
1476 check_item_data = check_item_data,  
1477  
1478 compute_items = compute_items,  
1479  
1480 load_item_data = load_item_data,  
1481  
1482 write_problem_report = write_problem_report,  
1483  
1484 write_page_change_report = write_page_change_report,  
1485 write_item_change_report = write_item_change_report,  
1486 }  
1487 </lua>
```

# Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

	<b>Symbols</b>	471, 472, 473, 486, 487, 556, 558,
\'	1288, 1296, 1301, 1303	560, 562, 567, 569, 571, 573, 578,
		580, 582, 584, 589, 591, 593, 595,
		600, 602, 604, 606, 611, 613, 615, 617
	<b>B</b>	
\baselineskip	37, 664	\currentgrouplevel
\begin	7, 9, 11, 13	40
bool commands:		<b>D</b>
\bool_new:N	659	dim commands:
\bool_set:Nn	662	\dim_new:N
\bool_to_str:n	417	78, 79, 80, 81,
box commands:		82, 83, 150, 151, 152, 153, 200, 201,
\box_dp:N	499, 625, 635, 637	202, 203, 204, 205, 431, 432, 435, 436
\box_ht:N	497, 625, 636	\dim_set:Nn
\box_move_up:nn	643	35, 496, 498, 625, 635
\box_new:N	430	\dim_set_eq:NN
\box_set_dp:Nn	627, 637	483, 484
\box_set_ht:Nn	626, 636	\l_tmpa_dim
\box_use:N	645	625, 626, 627, 635, 636, 637
\l_tmpa_box	633, 635	
		<b>E</b>
		\evensidemargin
		49, 412
		exp commands:
		\exp_not:N
		505, 506, 508, 509
		<b>G</b>
		get commands:
check commands:		get_data_page_number
check_data	785	752
check_item_data	942	get_y_item_bottom
check_items_vertical	1311	1165
check_page_data	883	get_y_item_top
check_removed_data	818	1160
column (option)	8	get_ysep_list
\columnsep	416	1170
\columnwidth	415	group commands:
compute commands:		\group_begin:
compute_items	1399	370, 443, 489
compute_items_horizontal	1052	\group_end:
compute_items_vertical	1361	386, 493, 548
compute_items_vertical_adjustment	1233	
compute_items_vertical_optfixed_		<b>H</b>
enabled	1186	\hbox
cs commands:		34
\cs_new:Nn	31	hbox commands:
\cs_new:Npn		\hbox_overlap_left:n
14, 26, 38, 45, 141, 145, 293, 297,		536, 541
301, 305, 309, 313, 317, 321, 325,		\hbox_overlap_right:n
329, 333, 335, 342, 368, 391, 401,		525, 529
440, 550, 622, 629, 639, 649, 653, 660		\headheight
\cs_set_eq:NN		11, 143, 147
49, 52, 339, 346, 352, 355,		\headsep
358, 400, 424, 449, 458, 463, 470,		11, 143, 147
		\hoffset
		49, 408
		hook commands:
		\hook_gput_code:nnn
		33, 50, 349, 354, 388, 421
		\hsize
		12, 33, 483, 484
		<b>I</b>
		\ignorespaces
		490
		int commands:
		\int_case:nn
		468, 552
		\int_eval:n
		407, 505
		\int_gincr:N
		403, 442

<code>\int_if_zero:nTF</code> . . . . .	40, 521, 523	<code>\l_marginalia_item_box</code> . . . . .	
<code>\int_new:N</code> . . . . .	54, 62, 70, 128, 399, 429, 433, 434, 437, 438, 439	. . . . .	33, 37, 430, 477, 497, 499, 645
<code>\int_set:Nn</code> . . . . .	58, 66, 74	<code>\_marginalia_item_box_set:Nn</code> . . . . .	470, 471, 472, 473, 477
<code>\int_set_eq:NN</code> . . . . .	132	<code>\l_marginalia_item_depth_dim</code> . . . . .	431, 498, 511
<code>\int_value:w</code> . . . . .	406, 408, 409, 410, 411, 412, 413, 414, 415, 416, 446, 504, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518	<code>\l_marginalia_item_height_dim</code> . . . . .	431, 496, 510
iow commands:		<code>\g_marginalia_itemno_int</code> . . . . .	429, 442, 446, 504
<code>\iow_now:Nn</code> . . . . .	393, 404	<code>\_marginalia_lua_check_item_-</code> <code>data:n</code> . . . . .	28, 293, 313, 360
<code>\iow_shipout_e:Nn</code> . . . . .	502	<code>\_marginalia_lua_check_page_-</code> <code>data:n</code> . . . . .	28, 293, 301, 357
		<code>\_marginalia_lua_compute_items:</code> . . . . .	293, 317, 351
		<code>\_marginalia_lua_load_item_-</code> <code>data:n</code> . . . . .	31, 329, 329, 445
		<code>\_marginalia_lua_store_default_-</code> <code>page_data:</code> . . . . .	293, 293, 350
		<code>\_marginalia_lua_store_item_-</code> <code>data:n</code> . . . . .	28, 293, 309, 348
		<code>\_marginalia_lua_store_page_-</code> <code>data:n</code> . . . . .	28, 293, 297, 341
		<code>\_marginalia_lua_write_item_-</code> <code>change_report:</code> . . . . .	293, 325, 376
		<code>\_marginalia_lua_write_page_-</code> <code>change_report:</code> . . . . .	305, 381
		<code>\_marginalia_lua_write_problem_-</code> <code>report:</code> . . . . .	293, 321, 371
		<code>\_marginalia_margin_bottom:</code> . . . . .	141, 145, 187, 198
		<code>\_marginalia_margin_top:</code> . . . . .	141, 141, 181, 197
		<code>\l_marginalia_marginno_computed_-</code> <code>int</code> . . . . .	34, 438, 552
		<code>\l_marginalia_mark_left_-</code> <code>between_tl</code> . . . . .	270, 618
		<code>\l_marginalia_mark_recto_inner_-</code> <code>tl</code> . . . . .	270, 574
		<code>\l_marginalia_mark_recto_outer_-</code> <code>tl</code> . . . . .	270, 563
		<code>\l_marginalia_mark_right_-</code> <code>between_tl</code> . . . . .	270, 607
		<code>\l_marginalia_mark_tl</code> . . . . .	527, 529, 539, 541, 562, 573, 584, 595, 606, 617
		<code>\l_marginalia_mark_verso_inner_-</code> <code>tl</code> . . . . .	270, 596
		<code>\l_marginalia_mark_verso_outer_-</code> <code>tl</code> . . . . .	270, 585
		<code>\l_marginalia_nobreak_bool</code> . . . . .	659, 662, 665
		<code>\l_marginalia_page_int</code> . . . . .	32, 433, 486
<b>K</b>			
<code>\kern</code> . . . . .	526, 531, 538, 543		
keys commands:			
<code>\l_keys_choice_int</code> . . . . .	58, 66, 74, 132		
<code>\keys_define:nn</code> . . . . .	55, 63, 71, 84, 129, 136, 154, 206, 250, 270		
<code>\keys_set:nn</code> . . . . .	42, 47, 99, 109, 115, 121, 165, 171, 179, 185, 191, 221, 231, 237, 243, 259, 279, 444		
<b>L</b>			
<code>\lastxpos</code> . . . . .	508		
<code>\lastypos</code> . . . . .	509		
<code>\leavevmode</code> . . . . .	455		
legacy commands:			
<code>\legacy_if:nTF</code> . . . . .	454		
<code>\legacy_if_gset:nn</code> . . . . .	665		
<code>\legacy_if_p:n</code> . . . . .	417, 662		
<code>\linewidth</code> . . . . .	33, 484		
list commands:			
<code>list_filter</code> . . . . .	732, 749		
<code>\llap</code> . . . . .	4, 14		
load commands:			
<code>load_item_data</code> . . . . .	1449		
lua commands:			
<code>\lua_now:n</code> 26, 27, 59, 290, 295, 299, 303, 307, 311, 315, 319, 323, 327, 331			
<b>M</b>			
<code>\marginalia</code> . . . . .	4–9, 13, 14, 16–18, 20, 26, 31, 39, 40, 667		
marginalia internal commands:			
<code>\l_marginalia_aux_iow</code> . . . . .	352, 393, 404, 502		
<code>\l_marginalia_column_computed_-</code> <code>int</code> . . . . .	32, 434, 487		
<code>\l_marginalia_column_int</code> . . . . .	70, 513		
<code>\l_marginalia_default_yshift_-</code> <code>dim</code> . . . . .	136, 514		
<code>\l_marginalia_enabled_computed_-</code> <code>int</code> . . . . .	32, 439, 521		

<code>\g__marginalia_pagedatano_int</code> ..	<code>\l__marginalia_width_dim</code> ....
..... 399, 403, 406	33,
<code>\__marginalia_place_item_box:</code> ..	34, 483, 558, 569, 580, 591, 602, 613
..... 34, 532, 537, 639, 639	<code>\l__marginalia_width_left_-</code>
<code>\l__marginalia_pos_int</code> ....	<code>between_dim</code> ..... 200, 614
62, 512	<code>\l__marginalia_width_recto_-</code>
<code>\__marginalia_process_item:nn</code> ..	<code>inner_dim</code> ..... 200, 570
..... 34, 37, 440, 440, 669	<code>\l__marginalia_width_recto_-</code>
<code>\__marginalia_process_item_-</code>	<code>outer_dim</code> ..... 200, 559
<code>data:n</code> ..... 28, 344, 347, 359	<code>\l__marginalia_width_right_-</code>
<code>\__marginalia_process_page_-</code>	<code>between_dim</code> ..... 200, 603
<code>data:n</code> ..... 28, 337, 340, 356	<code>\l__marginalia_width_verso_-</code>
<code>\__marginalia_set_dim:Nn</code> . 20, 31,	<code>inner_dim</code> ..... 200, 592
31, 87, 89, 91, 93, 95, 97, 157, 159,	<code>\l__marginalia_width_verso_-</code>
161, 163, 209, 211, 213, 215, 217, 219	<code>outer_dim</code> ..... 200, 581
<code>\__marginalia_set_xsep_width_-</code>	<code>\__marginalia_write_page_data:</code> .
<code>style_mark:</code> ..... 475, 550, 550	..... 30, 400, 400, 425, 427, 677
<code>\__marginalia_setup:n</code> .....	<code>\__marginalia_write_page_data_-</code>
..... 20, 38, 49, 49, 52, 673	<code>real:</code> ..... 401, 426
<code>\__marginalia_setup_body:n</code> ....	<code>\__marginalia_write_reports:</code> ...
..... 20, 45, 45, 52	..... 362, 368, 389
<code>\__marginalia_setup_preamble:n</code> .	<code>\__marginalia_write_version:</code> ...
..... 20, 38, 38, 49	..... 391, 391, 423
<code>\l__marginalia_side_computed_int</code>	<code>\l__marginalia_xsep_dim</code> .... 34,
..... 32, 34, 437, 523	531, 538, 556, 567, 578, 589, 600, 611
<code>\l__marginalia_style_left_-</code>	<code>\l__marginalia_xsep_left_-</code>
<code>between_tl</code> ..... 250, 616	<code>between_dim</code> ..... 78, 612
<code>\l__marginalia_style_recto_-</code>	<code>\l__marginalia_xsep_recto_inner_-</code>
<code>inner_tl</code> ..... 250, 572	<code>dim</code> ..... 78, 568
<code>\l__marginalia_style_recto_-</code>	<code>\l__marginalia_xsep_recto_outer_-</code>
<code>outer_tl</code> ..... 250, 561	<code>dim</code> ..... 78, 557
<code>\l__marginalia_style_right_-</code>	<code>\l__marginalia_xsep_right_-</code>
<code>between_tl</code> ..... 250, 605	<code>between_dim</code> ..... 78, 601
<code>\l__marginalia_style_tl</code> .....	<code>\l__marginalia_xsep_verso_inner_-</code>
. 34, 482, 560, 571, 582, 593, 604, 615	<code>dim</code> ..... 78, 590
<code>\l__marginalia_style_verso_-</code>	<code>\l__marginalia_xsep_verso_outer_-</code>
<code>inner_tl</code> ..... 250, 594	<code>dim</code> ..... 78, 579
<code>\l__marginalia_style_verso_-</code>	<code>\l__marginalia_xshift_computed_-</code>
<code>outer_tl</code> ..... 250, 583	<code>dim</code> ..... 32, 34, 435, 526, 543
<code>\__marginalia_tagging_socket:n</code> .	<code>\l__marginalia_ysep_above_dim</code> ..
..... 19, 14, 26, 476, 479, 495	..... 150, 515
<code>\l__marginalia_type_int</code> .... 54, 507	<code>\l__marginalia_ysep_below_dim</code> ..
<code>\__marginalia_typeset:n</code> .....	..... 150, 516
..... 450, 459, 464, 500	<code>\l__marginalia_ysep_page_bottom_-</code>
<code>\__marginalia_typeset_hmode:n</code> . 649	<code>dim</code> ..... 150, 518
<code>\__marginalia_typeset_hmode:n</code> ..	<code>\l__marginalia_ysep_page_top_dim</code>
..... 460, 653	..... 150, 517
<code>\__marginalia_typeset_mmode:n</code> ..	<code>\l__marginalia_yshift_computed_-</code>
..... 451, 649, 649	<code>dim</code> ..... 32, 37, 435, 643
<code>\__marginalia_typeset_vmode:n</code> ..	<code>\marginaliacolumn</code> ..... 6, 31, 33, 487
..... 465, 649, 660	<code>\marginalianewgeometry</code> .... 6, 30, 58, 675
<code>\l__marginalia_valign_int</code> 32, 128, 468	<code>\marginaliapage</code> ..... 6, 31, 33, 486
<code>\__marginalia_vbox_set_center:Nn</code> 622	<code>\marginaliasetup</code> ..... 6, 7, 13, 671
<code>\__marginalia_vbox_set_midway:Nn</code> 629	<code>\marginpar</code> ..... 1, 3, 18
	<code>\marginparpush</code> ..... 7, 11, 196





style (option) .....	13	\vbox .....	36
style left between (option) .....	13	vbox commands:	
style recto inner (option) .....	13	\vbox_set:Nn .....	471, 633
style recto outer (option) .....	13	\vbox_set_center:Nn .....	472, 622
style right between (option) .....	13	\vbox_set_midway:Nn .....	473, 629
style verso inner (option) .....	13	\vbox_set_top:Nn .....	470, 624, 631
style verso outer (option) .....	13	\voffset .....	11, 143, 147, 409
sys commands:		\vtop .....	36
\sys_if_engine_luatex:TF .....	6		
<b>T</b>			
tag commands:			
\tag_resume:n .....	634		
\tag_suspend:n .....	632		
T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X <sub>ε</sub> commands:			
\@bsphack .....	37, 655		
\@esphack .....	37, 657		
\@ifundefined .....	12		
\@mainaux .....	352		
\@parboxrestore .....	33, 478		
\c@page .....	506		
\col@number .....	414		
\if@nobreak .....	37		
\marginalia@itemdata .....	28, 342, 503		
\marginalia@notedata .....	41		
\marginalia@pagedata .....			
.....	28, 41, 333, 335, 405		
\marginalia@version .....	333, 394		
\textheight .....	11, 148		
\textwidth .....	413		
tl commands:			
\tl_if_blank:nTF .....	372, 377, 382		
\tl_if_empty:NTF .....	527, 539		
\tl_set:Nn .....	371, 376, 381		
\tl_use:N .....	374, 379, 384, 482, 529, 541		
\l_tmpa_tl .....	371,		
.....	372, 374, 376, 377, 379, 381, 382, 384		
token commands:			
\token_to_str:N .....	394, 405, 503		
\topmargin .....	11, 143, 147		
\twocolumn .....	6		
type (option) .....	7		
<b>U</b>			
use commands:			
\use:N .....	395		
\UseTaggingSocket .....	19, 28		
<b>V</b>			
valign (option) .....	9		
<b>W</b>			
width (option) .....	12		
width between (option) .....	12		
width inner (option) .....	12		
width left between (option) .....	12		
width outer (option) .....	12		
width recto inner (option) .....	12		
width recto outer (option) .....	12		
width right between (option) .....	12		
width verso inner (option) .....	12		
width verso outer (option) .....	12		
write commands:			
write_item_change_report .....	980		
write_page_change_report .....	986		
write_problem_report .....	975		
write_report .....	950		
<b>X</b>			
xsep (option) .....	9		
xsep between (option) .....	9		
xsep inner (option) .....	9		
xsep left between (option) .....	9		
xsep outer (option) .....	9		
xsep recto inner (option) .....	9		
xsep recto outer (option) .....	9		
xsep right between (option) .....	9		
xsep verso inner (option) .....	9		
xsep verso outer (option) .....	9		
<b>Y</b>			
ysep (option) .....	11		
ysep above (option) .....	11		
ysep below (option) .....	11		
ysep page bottom (option) .....	11		
ysep page bottom margin (option) .....	11		
ysep page top (option) .....	11		
ysep page top bottom margin (option) .....	11		
ysep page top margin (option) .....	11		
yshift (option) .....	11		